

31/10/2006



Department of Environment

Your ref:

Our ref: KP609

Enquiries:

Direct tel:

Outside Scope

Outside Scope
Bio-Organics Pty Ltd
945 Abernethy Road
OAKFORD W.A. 6121

Dear Outside Scope

BIO-ORGANICS COMPOSTING FACILITY; LICENCE NUMBER 7770/5

Outside Scope

I acknowledge receipt of the facsimile from [redacted] dated 23 October 2006, together with the lab analyses reports regarding the incorporation of Process Waste Water from [redacted], Mandurah into the compost at the Bio-Organics Facility.

Outside Scope

At this stage, the Department of Environment and Conservation (DEC) has no objection to the acceptance, for trial purposes, of 1m³ of the Process Waste Water. The DEC confirms that the processing of this material shall include:

- all material received is discharged directly into the green waste windrows;
- maximum air porosity in the blend is maintained to minimise odours; and
- testing of the compost that has had the Process Waste Water incorporated to ensure it meets the Australian standard for compost A4454:1999.

The DEC also requires that community consultation be conducted with the adjacent neighbours and interested stakeholders during this trial. A record of the type and level of community consultation should be retained on site. Further approvals to incorporate this materials beyond the quantities stated above will be dependent on the following requirements:

1. Evidence of the type and level of community consultation conducted; and
2. Copies of analytical results from the final composted material with integrated Process Waste Water, forwarded to the DEC for review.

Should the DEC or Bio-Organics employees deem odours, as a result of the incorporation of Process Waste Water, to be unacceptable then its use should immediately cease.



Kwinana Peel Region
Suite 6 21 Shoilt Street
Mandurah Western Australia 6210
PO Box 332 Mandurah Western Australia 6210
Telephone (08) 9550 4222 Facsimile (08) 9581 4269
www.environment.wa.gov.au

Please note that the above does not override any other statutory approvals that you are required to obtain, such as any approvals from the Shire of Serpentine-Jarrahdale. Transport of the waste to your facility may also require permitting under the Controlled Waste Regulations and your site designated as a disposal site. Please contact the DoE's Controlled Waste Section on 6467 5249 to confirm this.

This approval in no way constitutes any endorsement by the DEC of any compost produced using the Process Waste Water material. Any commercial implications of this practice are entirely your company's responsibility. Outside Scope

Please contact [REDACTED] at the Mandurah Office on [REDACTED] should there be a need to discuss any environmental issues in more detail. Outside Scope

Yours faithfully

[REDACTED]

Outside Scope

A/Program Manager
Mandurah District Office

31 October 2006

CC: [REDACTED] (Shire of Serpentine-Jarrahdale)

Outside Scope