



Part 1: Application type

INSTRUCTIONS:

- Completion of this form is a statutory requirement under s.54(1)(a) of the *Environmental Protection Act 1986 (WA) (EP Act)* for works approval applications; s.57(1)(a) for licence and licence renewal applications; s.59B(1)(a) for applications for an amendment; and under r.5B(2)(a) of the *Environmental Protection Regulations 1987 (WA) (EP Regulations)* for applications for registration of premises.
- The instructions set out in this application form are general in nature.
- A reference to 'you' in these instructions is a reference to the applicant.
- The information provided to you by the Department of Water and Environmental Regulation (DWER) in relation to making applications does not constitute legal advice. DWER recommends that you obtain independent legal advice.
- Applicants seeking further information relating to requirements under the EP Act and/or EP Regulations are directed to the Parliamentary Counsel's Office website (www.legislation.wa.gov.au). Schedule 1 of the EP Regulations contains the categories of prescribed premises.
- For prescribed premises where activities fall within more than one category, ALL applicable categories must be identified. This applies for existing prescribed premises seeking renewal or amendment, as well as new prescribed premises.
- The application form must be completed with all relevant information attached. Attachments can be combined and submitted as one or more consolidated documents if desired, provided it is clear which section of the application form the information / attachments relate to. Where attachments are submitted separately, avoid duplicating information. Ensure that any cross-references between the application form and the supporting document(s) are accurate.
- If an application form has been submitted which is incomplete or materially incorrect, the Chief Executive Officer of DWER (CEO) will decline to deal with the application and advise the applicant accordingly.
- On completing this application form, please submit it to DWER in line with the instructions in Part 15 of the form.

1.1	<p>This is an application for: <i>[Select one option only. Your application may be returned if multiple options are selected.]</i></p> <p>under Part V, Division 3 of the EP Act.</p> <p>Please see the:</p> <ul style="list-style-type: none"> • Guideline: Industry Regulation Guide to Licensing • Procedure: Prescribed premises works approvals and licences <p>for more information to assist in understanding DWER's regulatory regime for prescribed premises.</p>	<p><input checked="" type="checkbox"/> Works approval</p> <p><input type="checkbox"/> Licence Existing registration number(s): [] Existing works approval number(s): []</p> <p><input type="checkbox"/> Renewal Existing licence number: []</p> <p><input type="checkbox"/> Amendment Number of the existing licence or works approval to be amended: []</p> <p><input type="checkbox"/> Registration (works approval already obtained) Existing works approval number(s): []</p>
1.2	<p>For a works approval amendment or licence amendment, are there less than 90 business days until the expiry of the existing works approval or licence? Only active instruments can be amended. Applications to amend a works approval or licence must be made 90 business days or more prior to the existing works approval or licence expiring to ensure there is adequate time to assess the amendment.</p>	<p>Yes</p> <p><input type="checkbox"/></p>
1.3	<p>This application is for the following categories of prescribed premises: <i>(specify all prescribed premises category numbers)</i></p>	<p>Category 6: Mine Dewatering</p> <p><input checked="" type="checkbox"/> All activities that meet the definition of a prescribed premises as set out in Schedule 1 of the EP Regulations have been specified above (tick, if yes).</p>

Completion Matrix			
The matrix below explains what sections are required to be completed for different types of applications.			
Application form section	New application / registration	Renewal	Amendment
Part 1: Application type	•	•	•
Part 2: Applicant details	•	•	•
Part 3: Premises details	•	•	△
Part 4: Proposed activities	•	•	•
Part 5: Index of Biodiversity Surveys for Assessment and Index of Marine Surveys for Assessment	If required.	If required.	If required.
Part 6: Other DWER approvals	•	•	•
Part 7: Other approvals and consultation	•	•	•
Part 8: Applicant history	•	•	△
Part 9: Emissions, discharges, and waste	•	•	△
Part 10: Siting and location	•	•	△
Part 11: Submission of any other relevant information	•	•	If required.
Part 12: Category checklist(s)	•	•	•
Part 13: Proposed fee calculation	•	•	•
Part 14: Commercially sensitive or confidential information	•	•	•
Part 15: Submission of application	•	•	•
Part 16: Declaration and signature	•	•	•
Attachment 1A: Proof of occupier status	•	•	N/A
Attachment 1B: ASIC company extract	•	•	N/A
Attachment 1C: Authorisation to act as a representative of the occupier	•	•	•
Attachment 2: Premises map/s	•	•	△
Attachment 3A: Environmental commissioning plan	If required.	N/A	If required
Attachment 3B: Proposed activities	•	•	△
Attachment 3C: Map of area proposed to be cleared (only applicable if clearing is proposed)	•	•	•
Attachment 3D: Additional information for clearing assessment	If required.	If required.	If required.
Attachment 4: Marine surveys (only applicable if marine surveys included in application)	•	•	•
Attachment 5: Other approvals and consultation documentation	•	•	△
Attachment 6A: Emissions and discharges	If required.	If required.	If required.
Attachment 6B: Waste acceptance	If required.	If required.	If required.
Attachment 7: Siting and location	•	•	△
Attachment 8: Additional information submitted	If required.	If required.	If required.
Attachment 9: Category-specific checklist(s)	•	If required.	If required.
Attachment 10: Proposed fee calculation	•	•	•
Attachment 11: Request for exemption from publication	If required.	If required.	If required.

Key:

- **Must be completed / submitted.**
- △ **To the extent changed / required in relation to the amendment.**
- N/A **Not required with application, but may be requested subsequently depending on DWER records.**
- "If required" **Sections for applicants to determine.**

Part 2: Applicant details								
<p>INSTRUCTIONS:</p> <ul style="list-style-type: none"> The applicant (the occupier of the premises) must be an individual(s), a company, body corporate, or public authority, but not a partnership, trust, or joint-venture name. Applications made by or on behalf of business names or unincorporated associations will not be accepted. If applying as an individual, your full legal name must be provided. If applying as a company, body corporate, or public authority, the full legal entity name must be inserted. Australian Company Number's (ACN) must be provided for all companies or body corporates. DWER prefers to send all correspondence electronically via email. We request that you consent to receiving all correspondence relating to instruments and notices under Part V of the EP Act (Part V documents) electronically via email, by indicating your consent in Section 2.3. Companies or body corporates making an application must nominate an authorised representative from within their organisation. Proof of authorisation must be submitted with the application (see Section 2.10). If you are applying as an individual, you are the representative. Details of a contact person must be provided for DWER enquiries in relation to your application. This contact person can be a consultant if authorised to represent the applicant. Written evidence of this authorisation must be provided. Details of the occupier of the premises must be provided. One of the options must be selected and if you have been asked to specify, please provide details. For example, if 'lease holder' has been selected, please specify the type of lease (for example, pastoral lease, mining lease, or general lease) and provide a copy of the lease document(s). Note that contracts for sale of land will not be sufficient evidence of occupancy status. 								
2.1	<p>Applicant name/s (full legal name/s): The proposed holder of the works approval, licence or registration.</p>	Covalent Lithium Pty Ltd						
	ACN (if applicable):	70 623 090 139						
2.2	Trading as (if applicable):							
2.3	<p>Authorised representative details: The person authorised to receive correspondence and Part V documents on behalf of the applicant under the EP Act.</p> <p>Where 'yes' is selected, all correspondence will be sent to you via email, to the email address provided in this section.</p> <p>Where 'no' has been selected, Part V documents will be posted to you in hard copy to the postal / business address specified in Section 2.4, below. Other general correspondence may still be sent to you via email.</p>	<div style="border: 1px solid black; padding: 5px;"> <p><i>I consent to all written correspondence between myself (the applicant) and DWER, regarding the subject of this application, being exclusively via email, using the email address I have provided above.</i></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 80%;"></th> <th style="width: 10%; text-align: center;">Yes</th> <th style="width: 10%; text-align: center;">No</th> </tr> </thead> <tbody> <tr> <td style="text-align: right;"><i>I consent to all written correspondence between myself (the applicant) and DWER, regarding the subject of this application, being exclusively via email, using the email address I have provided above.</i></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </tbody> </table> </div>		Yes	No	<i>I consent to all written correspondence between myself (the applicant) and DWER, regarding the subject of this application, being exclusively via email, using the email address I have provided above.</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Yes	No						
<i>I consent to all written correspondence between myself (the applicant) and DWER, regarding the subject of this application, being exclusively via email, using the email address I have provided above.</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>						
2.4	<p>Registered office address, as registered with the Australian Securities and Investments Commission (ASIC): This must be a physical address to which a Part V document may be delivered.</p>	15 Mason Road, Kwinana Beach, WA 6167						
2.5	<p>Postal address for all other correspondence: If different from Section 2.4.</p>	PO Box 41 Kwinana WA 6966						

Part 2: Applicant details				
2.6	Contact person details for DWER enquiries relating to the application (if different from the authorised representative): For example, could be a consultant or a site-based employee.	Name		
		Position		
		Organisation		
		Address		
		Telephone		
		Email		
2.7	Occupier status: Occupier is defined in s.3 of the EP Act and includes a person in occupation or control of the premises, or occupying a different part of the premises whether or not that person is the owner. Note: if a lease holder, the applicant must be the holder of an executed lease, not just an agreement to lease.	Registered proprietor on certificate of title.	<input type="checkbox"/>	
		Lease holder (please specify, including date of expiry of lease). M77/1080	<input checked="" type="checkbox"/>	
		Public authority that has care, control, or management of the land.	<input type="checkbox"/>	
		Other evidence of legal occupation or control (please specify – for example, joint venture operating entity, contract, letter of operational control, or other legal document or evidence of legal occupation).	<input type="checkbox"/>	
Attachments			N/A	Yes
2.8	Attachment 1A: Proof of occupier status	As per existing Licence	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.9	Attachment 1B: ASIC company extract	As per existing Licence	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.10	Attachment 1C: Authorisation to act as representative of the occupier	A copy of the documentation authorising the applicant to act on the occupier's behalf as their authorised agent/representative has been provided and labelled as Attachment 1C.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Part 3: Premises details																																																																																																																										
3.1	Premises description (whole or part to be specified): Include the land description (volume and folio number, lot, or location number/s); Crown lease or reserve number; pastoral lease number; or mining tenement number (as appropriate), of all properties, as shown on title details registered with Landgate.	Dewatering activities are located on mining tenement M77/1080. The proposed LOM Premises Boundary is shown in Attachment 2 with coordinates provided below.																																																																																																																								
	Premises street address Include the suburb.	Earl Grey Lithium Project located off Marvel Loch-Forrestania Road located within Shire of Yilgarn																																																																																																																								
	Premises name (if applicable):	Earl Grey Lithium Project																																																																																																																								
3.2	Local Government Authority area: City, Town, or Shire.	Shire of Yilgarn																																																																																																																								
3.3	GPS (latitude and longitude) coordinates: GPS coordinates determined using the GDA 2020 (Geographic latitude / longitude) coordinate system and datum must be provided for all points around the proposed premises boundary, where the entirety of the cadastre (land parcel) or mining tenements are not used as the premises boundary.	As listed below and shown on Figure 1 in Attachment 2.																																																																																																																								
		<table border="1"> <thead> <tr> <th>Point ID *</th> <th>Longitude</th> <th>Latitude</th> <th>Point ID *</th> <th>Longitude</th> <th>Latitude</th> </tr> </thead> <tbody> <tr><td>1</td><td>119.767</td><td>-32.077</td><td>20</td><td>119.771</td><td>-32.118</td></tr> <tr><td>2</td><td>119.767</td><td>-32.082</td><td>21</td><td>119.768</td><td>-32.118</td></tr> <tr><td>3</td><td>119.767</td><td>-32.083</td><td>22</td><td>119.765</td><td>-32.120</td></tr> <tr><td>4</td><td>119.770</td><td>-32.083</td><td>23</td><td>119.759</td><td>-32.121</td></tr> <tr><td>5</td><td>119.778</td><td>-32.083</td><td>24</td><td>119.749</td><td>-32.121</td></tr> <tr><td>6</td><td>119.778</td><td>-32.089</td><td>25</td><td>119.749</td><td>-32.121</td></tr> <tr><td>7</td><td>119.786</td><td>-32.089</td><td>26</td><td>119.748</td><td>-32.108</td></tr> <tr><td>8</td><td>119.786</td><td>-32.095</td><td>27</td><td>119.741</td><td>-32.108</td></tr> <tr><td>9</td><td>119.793</td><td>-32.094</td><td>28</td><td>119.741</td><td>-32.102</td></tr> <tr><td>10</td><td>119.793</td><td>-32.101</td><td>29</td><td>119.741</td><td>-32.102</td></tr> <tr><td>11</td><td>119.786</td><td>-32.102</td><td>30</td><td>119.740</td><td>-32.083</td></tr> <tr><td>12</td><td>119.786</td><td>-32.111</td><td>31</td><td>119.700</td><td>-32.083</td></tr> <tr><td>13</td><td>119.787</td><td>-32.121</td><td>32</td><td>119.700</td><td>-32.067</td></tr> <tr><td>14</td><td>119.786</td><td>-32.122</td><td>33</td><td>119.717</td><td>-32.067</td></tr> <tr><td>15</td><td>119.779</td><td>-32.123</td><td>34</td><td>119.717</td><td>-32.055</td></tr> <tr><td>16</td><td>119.775</td><td>-32.123</td><td>35</td><td>119.740</td><td>-32.054</td></tr> <tr><td>17</td><td>119.775</td><td>-32.123</td><td>36</td><td>119.754</td><td>-32.054</td></tr> <tr><td>18</td><td>119.773</td><td>-32.123</td><td>37</td><td>119.767</td><td>-32.054</td></tr> <tr><td>19</td><td>119.773</td><td>-32.118</td><td>38</td><td>119.767</td><td>-32.076</td></tr> </tbody> </table>		Point ID *	Longitude	Latitude	Point ID *	Longitude	Latitude	1	119.767	-32.077	20	119.771	-32.118	2	119.767	-32.082	21	119.768	-32.118	3	119.767	-32.083	22	119.765	-32.120	4	119.770	-32.083	23	119.759	-32.121	5	119.778	-32.083	24	119.749	-32.121	6	119.778	-32.089	25	119.749	-32.121	7	119.786	-32.089	26	119.748	-32.108	8	119.786	-32.095	27	119.741	-32.108	9	119.793	-32.094	28	119.741	-32.102	10	119.793	-32.101	29	119.741	-32.102	11	119.786	-32.102	30	119.740	-32.083	12	119.786	-32.111	31	119.700	-32.083	13	119.787	-32.121	32	119.700	-32.067	14	119.786	-32.122	33	119.717	-32.067	15	119.779	-32.123	34	119.717	-32.055	16	119.775	-32.123	35	119.740	-32.054	17	119.775	-32.123	36	119.754	-32.054	18	119.773	-32.123	37	119.767	-32.054	19	119.773	-32.118	38	119.767
Point ID *	Longitude	Latitude	Point ID *	Longitude	Latitude																																																																																																																					
1	119.767	-32.077	20	119.771	-32.118																																																																																																																					
2	119.767	-32.082	21	119.768	-32.118																																																																																																																					
3	119.767	-32.083	22	119.765	-32.120																																																																																																																					
4	119.770	-32.083	23	119.759	-32.121																																																																																																																					
5	119.778	-32.083	24	119.749	-32.121																																																																																																																					
6	119.778	-32.089	25	119.749	-32.121																																																																																																																					
7	119.786	-32.089	26	119.748	-32.108																																																																																																																					
8	119.786	-32.095	27	119.741	-32.108																																																																																																																					
9	119.793	-32.094	28	119.741	-32.102																																																																																																																					
10	119.793	-32.101	29	119.741	-32.102																																																																																																																					
11	119.786	-32.102	30	119.740	-32.083																																																																																																																					
12	119.786	-32.111	31	119.700	-32.083																																																																																																																					
13	119.787	-32.121	32	119.700	-32.067																																																																																																																					
14	119.786	-32.122	33	119.717	-32.067																																																																																																																					
15	119.779	-32.123	34	119.717	-32.055																																																																																																																					
16	119.775	-32.123	35	119.740	-32.054																																																																																																																					
17	119.775	-32.123	36	119.754	-32.054																																																																																																																					
18	119.773	-32.123	37	119.767	-32.054																																																																																																																					
19	119.773	-32.118	38	119.767	-32.076																																																																																																																					
Attachments			N/A	Yes																																																																																																																						
3.4	Attachment 2: Premises map(s)	You must provide as an attachment to this application form, labelled Attachment 2: an aerial photograph, map, and site plan of sufficient scale showing the proposed prescribed premises boundary	<input type="checkbox"/>	<input checked="" type="checkbox"/>																																																																																																																						
		The following figures are attached for the Works Approval <ul style="list-style-type: none"> Figure 1: Premises Boundary with coordinates and tenure, plus locations of EGLP, EGGP and Twinings Pit identified. Figure 2: Stage 1 conceptual layout – EGGP remains in use Figure 3: Stage 2 conceptual layout – water via transfer sump direct to Twinings pit 																																																																																																																								

Part 4: Proposed activities

INSTRUCTIONS:

- You must provide a description and the scope, size and scale of all prescribed activities of Schedule 1 to the EP Regulations including the maximum production or design capacity of each prescribed activity.
- If applying for a works approval or licence amendment involving the construction of new infrastructure, you must provide information on infrastructure to be constructed and how long construction is expected to take. You must confirm if commissioning is to occur and how long it will take.
- If applying for a works approval or licence amendment *not* involving the construction of new infrastructure, provide details of the proposed amendment.
- You must identify all emission sources on the premises map/s.
- You must also provide information on activities which directly relate to the prescribed premises category which have, or are likely to result in, an emission or discharge.
- If clearing activities are proposed provide a description and details. If a relevant exemption under Schedule 6 of the EP Act or r.5 of the Environmental Protection (Clearing of Native Vegetation) Regulations 2004 (WA) (Clearing Regulations) may apply, provide details.
- Note that in some cases, DWER may require that the clearing components of a works approval or licence (or amendment) application be submitted separately through the clearing permit application process. Refer to the [Procedure: Prescribed premises works approvals and licences](#) for further guidance.
- Please note that the requested information is critical to DWER's understanding of the proposed activities. The more accurate, specific, and complete the information provided in the application, the less uncertainty that DWER may identify in the application, therefore facilitating completion of the assessment in a more efficient and timely manner.

4.1 Prescribed premises infrastructure and equipment

In Table 4.1 (below), provide a list of all items of infrastructure and equipment within the boundary of the prescribed premises relevant to this application, and include the following details for each.

- **relevant categories (if known)** – the categories of prescribed premises (as listed under Schedule 1 of the EP Regulations) that relate to that infrastructure or equipment;
- **site plan reference** – the location of that infrastructure or equipment (with reference to the site plan map or maps provided above in Section 3.4 and labelled as Attachment 2 – e.g. use GPS coordinates or a clear description such as "labelled as [label on premises map] on Map A");
- **is it critical containment infrastructure (CCI)?** – indicate if the identified infrastructure or equipment would be categorised as CCI. Refer to the [Guideline: Industry Regulation Guide to Licensing](#) for further information on CCI; and
- **is environmental commissioning required?** – indicate if environmental commissioning is intended to be undertaken for that item of infrastructure or equipment. Refer to the [Guideline: Industry Regulation Guide to Licensing](#) for further information on environmental commissioning.

Add additional rows to Table 4.1 (below) as required.

Table 4.1: Infrastructure and equipment

	Infrastructure and equipment	Relevant categories (if known)	Site plan reference	CCI? (mark if yes)	Environmental commissioning? (mark if yes)
1	Dewatering	6	Att. 2	<input type="checkbox"/>	<input type="checkbox"/>
2				<input type="checkbox"/>	<input type="checkbox"/>
3				<input type="checkbox"/>	<input type="checkbox"/>
4				<input type="checkbox"/>	<input type="checkbox"/>
5				<input type="checkbox"/>	<input type="checkbox"/>
6				<input type="checkbox"/>	<input type="checkbox"/>
7				<input type="checkbox"/>	<input type="checkbox"/>
8				<input type="checkbox"/>	<input type="checkbox"/>
9				<input type="checkbox"/>	<input type="checkbox"/>
10				<input type="checkbox"/>	<input type="checkbox"/>

Part 4: Proposed activities**4.2 Detailed description of proposed activities or proposed changes (if an amendment):**

You must provide details of proposed activities relevant to this application within the boundary of the prescribed premises, identifying:

- scope, size, and scale of the project, including details as to production or design capacity (and/or frequency, if applicable);
- key infrastructure and equipment;
- description of processes or operations (a process flow chart may be included as an attachment);
- emission / discharge points;
- locations of waste storage or disposal
- activities occurring during construction, environmental commissioning, and operation (if applicable).

Additional information relating to the proposed activities may be included in Attachment 3B (see 4.12 below).

Construction activities (if applicable):

Dewatering of the LOM Earl Grey Lithium Pit (EGLP) is a critical mining activity to enable dry mining. It is anticipated that up to 1.7 GL/annum of dewatering will be required. The LOM dewatering system is designed to capture, transfer and store up to 100 L/s. Actual rates are expected to vary depending on pit development, groundwater inflows and rainfall events. The most recent Groundwater Model for the Project is provided in Attachment 3B(1).

To facilitate the required dewatering of the EGLP, Covalent propose to reconfigure the current dewatering system as follows:

- In-pit sumps equipped with pumps and pipelines to transfer water from the pit floor to the pit crest. In-pit sumps will be constructed to contain and centralise dewatering water and surface/rainfall flows. Sumps will progressively move with pit development;
- Stage tanks with pump positioned on the pit wall progressively moving with pit development;
- Transfer sump of approximately 15,000m³ with pump to transfer water to Twinings Pit (Stage 2) progressively moving with pit development;
- Standpipe on transfer sump for offtake of water for dust suppression and operational requirements;
- Dewatering pipelines from in-pit sump or Stage tanks and pump to transfer sump, and a dewatering pipeline from the Transfer Sump to the Twinings Pit
- Mechanical Evaporator System including evaporators, highwall pump, break tanks and pipelines. The highwall pump will initially remain at EGGP (Stage 1) but relocate to Twinings Pit (Stage 2). The evaporators, break tanks, power supply (generators) and pipeline will be relocated to Twinings Pit in Stage 1. Initially 2 evaporators are proposed but this may expand to up to 8 evaporators depending on the site water balance.
- Self-bunded diesel fuel tank(s) of approximately 6,000k located with the generator(s).

Preparatory works will include clearing and topsoil removal conducted in accordance with the LOM Ministerial Statement (pending) and Stage 3 Mining Proposal (pending) and Mt Holland Environmental Management Plan (EMP).

A memo is provided in Attachment 3B(2) detailing the system.

The LOM dewatering system is anticipated to run under the Stage 1 scenario for the estimated 11 months it will take to empty the EGGP prior to Stage 2.

It is anticipated that an Environmental Construction Report will be submitted at the end of Stage 1 construction and Stage 2 construction. Any future evaporators added after Stage 2 will be subject to an Environmental Construction Report.

Environmental commissioning activities (if applicable):

Refer to the [Guideline: Industry Regulation Guide to Licensing](#) for further guidance.

Commissioning is anticipated to take less than a week and does not warrant separate commissioning conditions. Covalent will apply all controls as listed in Table 9.1 of this application form during this time.

Time limited operations activities (if applicable):

Different elements of the premises may require time limited operations to commence at different times. In these circumstances, please specify the infrastructure and/or equipment for which time limited operations authorisation is being applied for.

If time limited operations are expected to differ from future licensed operations, specify how and why this would be the case.

Refer to the [Guideline: Industry Regulation Guide to Licensing](#) for further guidance.

Part 4: Proposed activities					
Time limited operations will be required for operations activities until a licence is granted. Covalent will apply all controls as listed in Table 9.1 of this application form during this time. Time Limited Operations is requested for a minimum of 15 months to enable completion of Stage 2 prior to transition to licence.					
Operations activities (for a licence):					
A licence will be applied for (or transition to current Earl Grey Lithium Project Licence L9326) in consultation with DWER.					
4.3	Estimated operating period of the project / premises (e.g. based on estimated infrastructure life):			Life of Mine of 47 years	
4.4	Proposed date(s) for commencement of works (if applicable):			~1 July 2026 pending approvals	
4.5	Proposed date(s) for conclusion of works construction (if applicable):			Stage 1 completed within 3 months of approval. Stage 2 construction expected 9 – 15 months post Stage 1 based on estimated 11 months to empty EGGP.	
4.6	Proposed date(s) for environmental commissioning of works (if applicable):			NA	
4.7	Proposed date/s for commencement of time limited operations under works approval (if applicable):			~1 August 2026	
4.8	Maximum production or design capacity for each category applied for (based on infrastructure operating 24 hours a day, 7 days a week):			1.7 million tonnes per annum (tpa)	
4.9	Estimated / actual throughput for each category applied for:			1.7 million tonnes per annum (tpa)	
Attachments				N/A	Yes
4.10	Attachment 2: Premises map	Emission/discharge points are clearly labelled on the map/s required for Part 3.4 (Attachment 2).		<input type="checkbox"/>	<input checked="" type="checkbox"/>
4.11	Attachment 3A: Environmental commissioning plan	If applying to construct works or install equipment, and environmental commissioning of the works or equipment is planned, an environmental commissioning plan has been included in Attachment 3A.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.12	Attachment 3B: Proposed activities	Additional information relating to the proposed activities has been included in Attachment 3B (if required). 3B(1) Mt Holland Earl Grey TSF2 Groundwater Model (May 2025) 3B(2) Internal Covalent Memo Dewatering Effluent Disposal (May 2026)		<input type="checkbox"/>	<input checked="" type="checkbox"/>
Clearing activities					
4.13 to 4.19 are only required if the application includes clearing of native vegetation.					
4.13	Proposed clearing area			Clearing footprint is within the boundaries under Part IV LOM assessment.	
4.14	Details of any relevant exemptions:			NA	
4.15	Proposed method of clearing:			Clearing will be conducted in accordance with the LOM Ministerial Statement (pending) and Stage 3 Mining Proposal (pending) and Mt Holland Environmental Management Plan (EMP).	
4.16	Period within which clearing is proposed to be undertaken:			Ongoing as per above approvals.	
4.17	Purpose of clearing:				

Part 4: Proposed activities				
Clearing for establishment of dewatering infrastructure				
Clearing activities – Attachments			N/A	Yes
4.18	Attachment 3C: Map of area proposed to be cleared	<p>You must provide:</p> <p>an aerial photograph or map of sufficient scale showing the proposed clearing area and prescribed premises boundary</p> <p>OR</p> <p>if you have the facilities, a suitable portable digital storage device of the area proposed to be cleared as an ESRI shapefile with the following properties:</p> <ul style="list-style-type: none"> • Geometry type: Polygon Shape • Coordinate system: GDA 2020 (Geographic latitude / longitude) • Datum: 2020 1994 (Geocentric Datum of Australia 2020) 	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.19	Attachment 3D: Additional information for clearing assessment	Additional information to assist in the assessment of the clearing proposal may be attached to this application (for example, reports on salinity, fauna or flora studies or other environmental reports conducted for the site).	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Part 5: Index of Biodiversity and Marine Surveys for Assessments (IBSA and IMSA)				
INSTRUCTIONS:				
<ul style="list-style-type: none"> • Biodiversity surveys should be submitted through the IBSA Submissions Portal at ibsasubmissions.dwer.wa.gov.au • Biodiversity surveys submitted to support this application must meet the requirements of the EPA's <i>Instructions for the preparation of data packages for the Index of Biodiversity Surveys for Assessments (IBSA)</i>. • Marine surveys submitted to support this application must meet the requirements of the EPA's <i>Instructions for the preparation of data packages for the Index of Marine Surveys for Assessments (IMSA)</i>. • If these requirements are not met, DWER will decline to deal with the application. 				
Attachments			N/A	Yes
5.1	Biodiversity surveys	<p>All biodiversity surveys submitted with this application meet the requirements of the EPA's Instructions for the preparation of data packages for the Index of Biodiversity Surveys for Assessments (IBSA).</p> <p>Please provide the IBSA number(s) (or submission number(s) if IBSA number has not yet been issued) in the space provided.</p> <p>Note that a submission number is not confirmation of acceptance of a biodiversity survey and is not the same as an IBSA number. IBSA numbers are only issued once a survey has been accepted. Once an IBSA number is issued, please notify the department.</p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		Submission number(s)		
		IBSA number(s)		
5.2	Attachment 4: Marine surveys	All marine surveys submitted with this application meet the requirements of the EPA's Instructions for the preparation of data packages for the Index of Marine Surveys for Assessments (IMSA) .	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Part 6: Other DWER approvals	
INSTRUCTIONS:	
<ul style="list-style-type: none"> If you have applied, or intend to apply, for other approvals within DWER that may be relevant to this application, you must provide relevant details. If you have referred, or intend to refer, your proposal to the Environmental Protection Authority (EPA), you must provide the requested details. 	
Pre-application scoping	
<p>6.1 Have you had any pre-application / pre-referral / scoping meetings with DWER regarding any planned applications?</p>	<p><input type="checkbox"/> No</p> <p><input checked="" type="checkbox"/> Yes – provide details:</p> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> Teams meeting [REDACTED] on 8 January 2020. </div>
Environmental impact assessment (Part IV of the EP Act)	
<p>6.2 Have you referred or do you intend to refer the proposal to the EPA?</p> <p>Section 37B(1) of the EP Act defines a 'significant proposal' as "a proposal likely, if implemented, to have a significant effect on the environment".</p> <p>If DWER considers that the proposal in this application is likely to constitute a 'significant proposal', DWER is required under s.38(5) of the EP Act to refer the proposal to the EPA for assessment under Part IV, if such a referral has not already been made.</p> <p>If a relevant Ministerial Statement already exists, please provide the MS number in the space provided</p>	<p><input checked="" type="checkbox"/> Yes (referred) – reference (if known): [Assessment Number 2387]</p> <p><input type="checkbox"/> Yes – intend to refer (proposal is a 'significant proposal') <input type="checkbox"/> Yes – intend to refer (proposal will require a s.45C amendment to the current Ministerial Statement): MS []</p> <p><input type="checkbox"/> No – a valid Ministerial Statement applies: [MS1199]</p> <p><input type="checkbox"/> No – not a 'significant proposal'</p>
Clearing of native vegetation (Part V Division 2 of the EP Act and Country Area Water Supply Act 1947)	
<p>6.3 Have you applied or do you intend to apply for a native vegetation clearing permit?</p> <p>In accordance with the Guideline: Industry Regulation Guide to Licensing and Procedure: Native vegetation clearing permits, where clearing of native vegetation:</p> <ul style="list-style-type: none"> is exempt under Schedule 6 of the EP Act or the Environmental Protection (Clearing of Native Vegetation) Regulations 2004 (WA) (refer to a guide to the exemptions and regulations for clearing native vegetation) is being assessed by a relevant authority which would lead to an exemption under Schedule 6 of the EP Act, or has been referred under s.51DA of the EP Act and a determination made that a clearing permit is not required (refer to the Guideline: Native vegetation clearing referrals), <p>the clearing will not be reassessed by DWER or be subject to any additional controls by DWER.</p> <p>If the proposed clearing action is to be assessed in accordance with, or under, an <i>Environment Protection and Biodiversity Conservation Act</i> (Cth) (EPBC Act) accredited process, such as the assessment bilateral agreement, the clearing permit application Form Annex C7 – Assessment bilateral agreement must be completed and attached to your clearing permit application.</p>	<p><input type="checkbox"/> Yes – clearing application reference (if known): CPS []</p> <p><input type="checkbox"/> Yes – a valid EP Act clearing permit already applies: CPS []</p> <p><input type="checkbox"/> No – this application includes clearing (please complete Sections 4.13 to 4.19 above)</p> <p><input type="checkbox"/> No – permit not required (no clearing of native vegetation)</p> <p><input checked="" type="checkbox"/> No – permit not required (clearing assessment completed under Part IV)]</p> <p><input type="checkbox"/> No – an exemption applies (explain why):</p> <div style="border: 1px solid black; height: 40px; margin-top: 5px;"></div>

Part 6: Other DWER approvals	
<p>6.4 Have you applied or do you intend to apply for a Country Area Water Supply Act 1947 licence?</p> <p>If a clearing exemption applies in a <i>Country Area Water Supply Act 1947</i> (CAWS Act) controlled catchment, or if compensation has previously been paid to retain the subject vegetation, a CAWS Act clearing licence is required.</p> <p>If yes, contact the relevant DWER regional office for a Form 1 <i>Application for licence</i>.</p> <p>Map of CAWS Act controlled catchments</p>	<p><input type="checkbox"/> Yes – application reference (if known): []</p> <p><input type="checkbox"/> No – a valid licence applies: []</p> <p><input checked="" type="checkbox"/> No – licence not required</p>
Water licences and permits (<i>Rights in Water and Irrigation Act 1914</i>)	
<p>6.5 Have you applied, or do you intend to apply for:</p> <ol style="list-style-type: none"> 1. a licence or amendment to a licence to take water (surface water or groundwater); or 2. a licence to construct wells (including bores and soaks); or 3. a permit or amendment to a permit to interfere with the bed and banks of a watercourse? <p>For further guidance on water licences and permits under the <i>Rights in Water and Irrigation Act 1914</i>, refer to the Procedure: Water licences and permits.</p>	<p><input type="checkbox"/> Yes – application reference (if known): []</p> <p><input checked="" type="checkbox"/> No – a valid licence / permit applies: GWL205547</p> <p>An amendment application will be made for the increase from 620,000 kL to 1,400,000 GL.</p> <p><input type="checkbox"/> No – an exemption applies (explain why):</p> <div style="border: 1px solid black; height: 40px; width: 100%;"></div> <p><input type="checkbox"/> No – licence / permit not required</p>

Part 7: Other approvals and consultation			
INSTRUCTIONS:			
<ul style="list-style-type: none"> • Please provide copies of all relevant documentation indicated below, including any conditions, exclusions, or expiry dates. • “Major Project” means: <ul style="list-style-type: none"> ➢ A State Development Project, where the lead agency is the Department of Jobs, Tourism, Science and Innovation (including projects to which a State Agreement applies); or ➢ A Level 2 or 3 proposal, as defined in the Department of Premier and Cabinet’s Lead Agency Framework. 			
		N/A	No
		No	Yes
7.1	Is the proposal a Major Project?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
7.2	Is the proposal subject to a State Agreement Act?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	If yes, specify which Act:		
7.3	Has the proposal been allocated to a “Lead Agency” (as defined in the Lead Agency Framework)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	If yes, specify Lead Agency contact details: Department of Jobs, Tourism, Science and Innovation		
7.4	Has the proposal been referred and/or assessed under the EPBC Act (Commonwealth)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	If yes, please specify referral, assessment and/or approval number: Assessment number 9711 (under assessment)		
7.5	Has the proposal obtained all relevant planning approvals?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	If planning approval is necessary but has not been obtained, please provide details indicating why:		
	If planning approval is not necessary, please provide details indicating why:		

Part 7: Other approvals and consultation				
7.6	For renewals or amendment applications, are the relevant planning approvals still valid (that is, not expired)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.7	Has the proposal obtained all other necessary statutory approvals (not including any other DWER approvals identified in Part 6 of this application)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
If no, please provide details of approvals already obtained, outstanding approvals, and expected dates for obtaining these outstanding approvals:				
Covalent has a Stage 3 Mining Proposal under assessment by DMPE.				
		N/A	No	Yes
7.8	Has consultation been undertaken with parties considered to have a direct interest in the proposal (that is, interested parties or persons who are considered to be directly affected by the proposal)? DWER will give consideration to submissions from interested parties or persons in accordance with the Guideline: Industry Regulation Guide to Licensing .	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Attachments		N/A	Yes	
7.9	Attachment 5: Other approvals and consultation documentation Details of other approvals specified in Part 7 of this application, including copies of relevant decisions and any consultation undertaken with direct interest stakeholders have been provided and labelled Attachment 5.		<input checked="" type="checkbox"/>	<input type="checkbox"/>

Part 8: Applicant history				
Note:				
<ul style="list-style-type: none"> DWER will undertake an internal due diligence of the applicant's fitness and competency based on DWER's compliance records and the responses to Part 8 of the form. If you wish to provide additional information for DWER to consider in making this assessment, you may provide that information as a separate attachment (see Part 11). 				
		N/A	No	Yes
8.1	If the applicant is an individual, has the applicant previously held, or do they currently hold, a licence or works approval under Part V of the EP Act?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.2	If the applicant is a corporation, has any director of that corporation previously held, or do they currently hold, a licence or works approval under Part V of the EP Act?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8.3	<p>If yes to 8.1 or 8.2 above, specify the name of company and/or licence or works approval number:</p> <p>Covalent holds the following approvals under Part V of the EP Act:</p> <ul style="list-style-type: none"> - W6499/2021/1 Earl Grey Lithium Project Kwinana Refinery Works Approval - W2889/2025/1 Earl Grey Lithium Project Landfill Works Approval - W6673/2022/1 Earl Grey Lithium Project TSF Works Approval - W6919/2022/1 Earl Grey Lithium Project Dewatering - L9326/2021/1 Earl Grey Lithium Project Operating Licence 			
8.4	If the applicant is an individual, has the applicant ever been convicted, or paid a penalty, for an offence under a provision of the EP Act, its subsidiary legislation, or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.5	If the applicant is a corporation, has any director of that corporation ever been convicted, or paid a penalty, for an offence under a provision of the EP Act, its subsidiary legislation, or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.6	If the applicant is a corporation, has any person concerned in the management of the corporation, as referred to in s.118 of the EP Act, ever been convicted of, or paid a penalty, for an offence under a provision of the EP Act, its subsidiary legislation, or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.7	If the applicant is a corporation, has any director of that corporation ever been a director of another corporation that has been convicted, or paid a penalty, for an offence under a provision of the EP Act, its subsidiary legislation, or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.8	With regards to the questions posed in 8.4 to 8.7 above, have any legal proceedings been commenced, whether convicted or not, against the applicant for an offence under a provision of the EP Act, its subsidiary legislation, or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.9	Has the applicant had a licence or other authority suspended or revoked due to a breach of conditions or an offence under the EP Act or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.10	If the applicant is a corporation, has any director of that corporation ever had a licence or other authority suspended or revoked due to a breach of conditions or an offence under the EP Act or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.11	If the applicant is a corporation, has any director of that corporation ever been a director of another corporation that has ever had a licence or other authorisation suspended or revoked due to a breach of conditions or an offence under the EP Act or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.12	If yes to any of 8.4 to 8.11 above, you must provide details of any charges, convictions, penalties paid for an offence, and/or licences or other authorisations suspended or revoked:			

Part 8: Applicant history

It has been assumed that the questions within Part 8 Applicant History relate only to offences that occurred while the applicant was a director of an entity. Declarations made are done so on this basis and may not represent the entire history of the organisation.

Part 9: Emissions, discharges, and waste

INSTRUCTIONS:

- Please see [Guideline: Risk Assessments](#) and provide all information relating to emission sources, pathways and receptors relevant to the application.
- You must provide details on sources of emissions (for example, kiln stack, baghouses or discharge pipelines) including fugitive emissions (for example, noise, dust or odour), types of emissions (physical, chemical, or biological), and volumes, concentrations and durations of emissions.
- The potential for emissions should be considered for all stages of the proposal (where relevant), including during construction, commissioning and operation of the premises.

		No	Yes										
9.1	Are there potential emissions or discharges arising from the proposed activities? Change to potential risk from saline water spillage and drift.	<input type="checkbox"/>	<input checked="" type="checkbox"/>										
	Full environmental risk and controls provided in Attachment 3B(2) and summarised in Table 9.1.												
If yes, identify all potential emissions and discharges arising from the proposed activities and complete Table 9.1: Emissions and discharges (below).													
<table border="0"> <tr> <td><input type="checkbox"/> Gaseous and particulate emissions (e.g. emissions from stacks, chimneys or baghouses)</td> <td><input type="checkbox"/> Dust (e.g. from equipment, unsealed roads and/or stockpiles, etc.)</td> </tr> <tr> <td><input checked="" type="checkbox"/> Wastewater discharges (e.g. treated sewage, wash water, or process water discharged to lands or waters)</td> <td><input type="checkbox"/> Waste and leachate (e.g. emissions through seepage, leaks and spills of waste from storage, process and handling areas, etc.)</td> </tr> <tr> <td><input checked="" type="checkbox"/> Noise (e.g. from machinery operations and/or vehicle operations)</td> <td><input type="checkbox"/> Odour (e.g. from wastes accepted at putrescible landfills, storage or processing of waste or other odorous materials, etc.)</td> </tr> <tr> <td><input type="checkbox"/> Contaminated or potentially contaminated stormwater (e.g. stormwater with the potential to come into contact with chemicals or waste materials, etc.)</td> <td><input type="checkbox"/> Electromagnetic radiation¹</td> </tr> <tr> <td><input type="checkbox"/> Other (please specify): <input type="text"/></td> <td></td> </tr> </table>				<input type="checkbox"/> Gaseous and particulate emissions (e.g. emissions from stacks, chimneys or baghouses)	<input type="checkbox"/> Dust (e.g. from equipment, unsealed roads and/or stockpiles, etc.)	<input checked="" type="checkbox"/> Wastewater discharges (e.g. treated sewage, wash water, or process water discharged to lands or waters)	<input type="checkbox"/> Waste and leachate (e.g. emissions through seepage, leaks and spills of waste from storage, process and handling areas, etc.)	<input checked="" type="checkbox"/> Noise (e.g. from machinery operations and/or vehicle operations)	<input type="checkbox"/> Odour (e.g. from wastes accepted at putrescible landfills, storage or processing of waste or other odorous materials, etc.)	<input type="checkbox"/> Contaminated or potentially contaminated stormwater (e.g. stormwater with the potential to come into contact with chemicals or waste materials, etc.)	<input type="checkbox"/> Electromagnetic radiation ¹	<input type="checkbox"/> Other (please specify): <input type="text"/>	
<input type="checkbox"/> Gaseous and particulate emissions (e.g. emissions from stacks, chimneys or baghouses)	<input type="checkbox"/> Dust (e.g. from equipment, unsealed roads and/or stockpiles, etc.)												
<input checked="" type="checkbox"/> Wastewater discharges (e.g. treated sewage, wash water, or process water discharged to lands or waters)	<input type="checkbox"/> Waste and leachate (e.g. emissions through seepage, leaks and spills of waste from storage, process and handling areas, etc.)												
<input checked="" type="checkbox"/> Noise (e.g. from machinery operations and/or vehicle operations)	<input type="checkbox"/> Odour (e.g. from wastes accepted at putrescible landfills, storage or processing of waste or other odorous materials, etc.)												
<input type="checkbox"/> Contaminated or potentially contaminated stormwater (e.g. stormwater with the potential to come into contact with chemicals or waste materials, etc.)	<input type="checkbox"/> Electromagnetic radiation ¹												
<input type="checkbox"/> Other (please specify): <input type="text"/>													

Details of any pollution control equipment or waste treatment system, including any control mechanisms used to ensure proper operation of this equipment, must be included in the proposed controls column of the 'Emissions and discharges table' below. Details of management measures employed to control emissions should also be included. Please provide / attach any relevant documents (e.g. management plans, etc.). Additional rows may be added as required and/or further information may be included as an attachment (see Section 9.3).

Table 9.1: Emissions and discharges

	Source of emission or discharge	Emission or discharge type	Volume and frequency	Proposed controls (include in Attachment 6A if extensive or complex)	Location (on site layout plan – see 3.4)
1.	Dewatering Pipelines	Wastewater (dewatering effluent)	Up to 100 l/s when operating	<p>Additional pipelines will be constructed</p> <ul style="list-style-type: none"> • HDPE PE100 rated PN8 – PN16 butt welded/electrofusion welded connections. • Ex-pit pipelines will be constructed within a bunded area with any spillage contained within the mining footprint and directed to approved storage location (EGGP or Twinings Pit) 	Att 3B(2)
2.	Pumps	Wastewater (dewatering effluent)	Up to 100 l/s when operating	<p>Pumps will be required at several locations between the EGLP and storage locations.</p> <ul style="list-style-type: none"> • Pumps to be selected based on dynamic head pressure and pump rates to achieve required flow rate over required distance. 	Att 3B(2)
3.	Transfer Sump	Wastewater (dewatering effluent)	Up to 100 l/s when operating	<p>A transfer sump will be located within the future mining pit shell on the surface.</p> <ul style="list-style-type: none"> • Saline seepage to soil limited to waste material which will be removed as part of the mining process and placed within the Waste Rock Landforms. • The sumps will be bunded and equipped with transfer pump with a level sensor to manage the minimum freeboard level of 0.5 metres. • The sump locations will be designed to minimise capture of surface water flows to further reduce the risk of overtopping. • The sumps will be equipped with a standpipe for dust suppression and material conditioning and to extract water to maintain freeboard if required. 	Att 3B(2)
4.	Self-Contained Diesel Tank	Hydrocarbons	6000 litre	Diesel tank to be self-contained in accordance with Australian Standard.	Att 3B(2)
5.	High Wall Pump	Wastewater (dewatering effluent)	100 l/s when operating	<p>High wall pump to be controlled via programmable logic controller (PLC) to control low-low and high-high pump control to maintain tank water levels.</p> <p>The pad for the highwall pump will be constructed with approximate 2% gradient fall toward EGGP or Twinings Pit.</p>	Att 3B(2)
6.		Noise	84 dB(A) at 10m	Authorised entry only into area and required Safety signs installed for PPE requirements.	Att 3B(2)

Part 9: Emissions, discharges, and waste					
7.	Mechanical Evaporator System	Wastewater (dewatering effluent)	75 to 200 L/s when operating	<p>Evaporators are equipped with a weather station which will ensure the system only operate in the desired conditions, in particularly the wind direction and speed. The system will automatically stop, or fail to start up, if the weather station is defective as a failsafe measure.</p> <p>Evaporators will be placed at an approximate 2% gradient fall toward EGGP or Twinings Pit.</p> <p>The safety bund in front of the evaporator pads will be constructed of permeable rock to allow drainage into the EGGP or Twinings Pit.</p> <p>The break tanks will also be fitted with a drainage line back into the EGGP.</p>	Att 3B(2)
<p>9.2 Waste-related activities at the premises² Answer "yes" or "no" for the following questions and complete Table 9.2 (below).</p>				No	Yes
(a)	Is waste accepted at the premises?			<input checked="" type="checkbox"/>	<input type="checkbox"/>
(b)	Is waste produced on the premises?			<input checked="" type="checkbox"/>	<input type="checkbox"/>
(c)	Is waste processed on the premises?			<input checked="" type="checkbox"/>	<input type="checkbox"/>
(d)	Is waste stored on the premises?			<input checked="" type="checkbox"/>	<input type="checkbox"/>
(e)	Is waste buried on the premises?			<input checked="" type="checkbox"/>	<input type="checkbox"/>
(f)	Is waste recycled on the premises?			<input checked="" type="checkbox"/>	<input type="checkbox"/>
(g)	Is any of the waste listed in Table 9.2 (below) also considered a 'dangerous good' for the purposes of the Dangerous Goods Safety (Storage and Handling of Non-Explosives) Regulations 2007? ³			<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Specify, if yes:				
<p>² Copies / details of any other relevant approvals (e.g. from the Department of Health) must be provided where applicable.</p> <p>³ Wastes derived from the storage, handling, and use of dangerous goods may be considered hazardous and may need to be handled with the same precautions. Please refer to the Department of Mines, Industry Regulation and Safety's Dangerous Goods Safety information sheet for more information.</p> <p>Solid waste types must be described with reference to <i>Landfill Waste Classification and Waste Definitions 1996</i> (as amended from time to time) and the Environmental Protection (Controlled Waste) Regulations 2004 (Controlled Waste Regulations).</p> <p>Liquid waste types must be described with reference to the Controlled Waste Regulations.</p> <p>For further guidance on the definition of waste, refer to Fact Sheet: Assessing whether material is waste.</p>					
<p>Detail must be provided on storage type (for example, hardstand and containment infrastructure), capacity, likely storage volumes, and containment features (for example, lining and bunding).</p> <p>Additional rows may be added as required and/or further information may be included as an attachment (see Section 9.4).</p>					
Table 9.2 Waste types					

Part 9: Emissions, discharges, and waste							
		Waste type	Quantity (e.g. tonnes, litres, cubic metres)	Waste activity infrastructure (including specifications)	Monitoring (if applicable)	Location (on site layout plan – see 3.4)	
1.	Wastewater (dewatering effluent)	Litres			Volumetric flow rates will be measured continuously via flow meters from EGLP to EGGP, EGLP and EGGP to Twinings Pit	NA	
2.					Monthly spot sample for pH and EC		
3.					Laboratory parameters as per Table 7 Licence L9326/2022/1 – 3 monthly monitoring events		
4.							
Attachments						N/A	Yes
9.3	Attachment 6A: Emissions and discharges (if required)	If required, further information for Section 9.1 has been included as an attachment labelled Attachment 6A.				<input checked="" type="checkbox"/>	<input type="checkbox"/>
9.4	Attachment 6B: Waste acceptance (if required)	If required, further information for Section 9.2 has been included as an attachment labelled Attachment 6B.				<input checked="" type="checkbox"/>	<input type="checkbox"/>

Part 10: Siting and location													
10.1	<p>Sensitive land uses</p> <p>What is/are the distance(s) to the nearest sensitive land use(s)? A sensitive land use is a residence or other land use which may be affected by an emission or discharge associated with the proposed activities.</p>	Accommodation village approximately 3.5 km from the pit.											
10.2	<p>Nearby environmentally sensitive receptors and aspects</p> <p>Identify in Table 10.2 (below):</p> <ul style="list-style-type: none"> all instances of environmentally sensitive receptors that are known or suspected to be present within, or within close proximity to, the proposed prescribed premises boundary, the nature of the sensitive receptors (e.g. type of Threatened Ecological Community, species or threatened flora or fauna, etc.); their actual or approximate known distance and direction from the premises boundary (at the closest point/s); and if applicable, what measures have been or will be taken to ensure that sensitive receptors are not adversely impacted by any emissions or discharges from the premises. <p>Refer to the Guideline: Environmental siting for further guidance.</p> <p>Table 10.2: Nearby environmentally sensitive receptors and aspects</p> <table border="1"> <thead> <tr> <th>Type / classification</th> <th>Description</th> <th>Distance + direction to premises boundary</th> <th>Proposed controls to prevent or mitigate adverse impacts (if applicable)</th> </tr> </thead> <tbody> <tr> <td>Environmentally Sensitive Areas ¹</td> <td>Jilbadji Nature Reserve</td> <td>Approximately 2 km north of the premise boundary</td> <td>Dewatering activities are not anticipated to present any risk to the Jilbadji Nature Reserve.</td> </tr> <tr> <td>Threatened Ecological Communities</td> <td>N/A</td> <td>N/A</td> <td>N/A</td> </tr> </tbody> </table>	Type / classification	Description	Distance + direction to premises boundary	Proposed controls to prevent or mitigate adverse impacts (if applicable)	Environmentally Sensitive Areas ¹	Jilbadji Nature Reserve	Approximately 2 km north of the premise boundary	Dewatering activities are not anticipated to present any risk to the Jilbadji Nature Reserve.	Threatened Ecological Communities	N/A	N/A	N/A
Type / classification	Description	Distance + direction to premises boundary	Proposed controls to prevent or mitigate adverse impacts (if applicable)										
Environmentally Sensitive Areas ¹	Jilbadji Nature Reserve	Approximately 2 km north of the premise boundary	Dewatering activities are not anticipated to present any risk to the Jilbadji Nature Reserve.										
Threatened Ecological Communities	N/A	N/A	N/A										

Part 10: Siting and location				
	Threatened and/or priority fauna	There are 3 fauna habitats within the Project area (Mallee woodlands, Salmon Gum woodland and Shrublands). 7 threatened/priority fauna species have been recorded in the premises boundary.	Within premises boundary	Dewatering activities are not expected to have any impact on terrestrial fauna, beyond what is currently being assessed as part of the Environmental Impact Assessment under Part IV of the EP Act, which along with its management plans, will be adhered to in the implementation of this Proposal.
	Threatened and/or priority flora	The majority of the Premises is within the Priority 3 ecological community; Ironcap Hills Vegetation complexes (Mt Holland; Middle, North and South Ironcap Hills, Digger Rock and Hatter Hill).	Within premises boundary	Dewatering activities are not expected to have any impact on threatened or priority flora, beyond what is currently being assessed as part of the Environmental Impact Assessment under Part IV of the EP Act, which along with its management plans, will be adhered to in the implementation of this Proposal.
	Aboriginal and other heritage sites ²	N/A	N/A	N/A
	Public drinking water source areas ³	N/A	N/A	N/A
	Rivers, lakes, oceans, and other bodies of surface water, etc.	Within the Mine Development Area, there are very few surface water features due to a limited total upper catchment area of less than 1,000 ha and the subdued relief. The only notable surface water feature is a constructed ephemeral drainage line that starts at the northwest tip of the airstrip and runs northeast past the processing plant area. Apart from this constructed drainage line, the Project area does not intersect any other identifiable drainage lines or creeks, with runoff generally occurring as sheetwash in a north-easterly direction.	N/A	Drainage will be put in place as outlined in Table 9.1 to ensure all saline water is contained within the mining footprint.
	Acid sulfate soils	N/A	N/A	N/A
	Other	N/A	N/A	N/A
<p>¹ Environmentally Sensitive Areas are as declared under the <i>Environmental Protection (Environmentally Sensitive) Notice 2005</i>. Refer to DWER's website ("Environmentally Sensitive Areas") for further information.</p> <p>² Refer to the Department of Planning, Lands and Heritage website for further information about Aboriginal heritage and other heritage sites.</p> <p>³ Refer to Water Quality Protection Note No.25: Land use compatibility tables for public drinking water source areas for further information.</p>				
10.3	<p>Environmental siting context details</p> <p>Provide further information including details on topography, climate, geology, soil type, hydrology, and hydrogeology at the premises.</p>			

Part 10: Siting and location

The climate is semi-arid with rainfall that typically occurs during the early winter months of June and July, which tends to be more reliable and generally of a greater total amount than the less dependable, but more intense, summer rainfalls from January to March.

Land topography within the Development Envelope is generally subdued, with land elevation ranging between approximately 460 m AHD in the north-west to 390 m AHD in the south-east. Natural land gradients across the Development Envelope are gentle, being typically < 2 degrees. There are no distinctive, unique, or restricted landforms within the Development Envelope

Under the Interim Biogeographic Regionalisation for Australia (IBRA), the Proposal is located within the Southwest Interzone and Southern Cross Subregion of the Coolgardie Bioregion.

The Southern Cross Subregion of the Coolgardie Bioregion is characterised by subdued relief, comprising gently undulating uplands dissected by broad valleys with bands of low greenstone hills and numerous saline playa lakes. The greenstone hills, alluvial valleys and broad plains of calcareous earths support diverse *Eucalyptus* woodlands. The uplands support mallee woodlands and scrub-heaths on sandplains, gravelly sandplains and lateritic breakaways.

Environmental assessments undertaken as part of the Project identified three soil management units, structured deep clays, gravelly soils and acidic soils. Management of soils will be undertaken as outlined in the Stage 3 Mining Proposal.

The EGLP site is located within the eastern Yilgarn Palaeovalley designated as the Watsonia Groundwater Management Subarea of the Watsonia Groundwater Management Area (GMA). The DWER Water Register recognises four principal aquifer types occur within the Watsonia Groundwater Management Subarea including alluvium, calcrete, palaeochannel and fractured rock aquifers.

DWER split these four aquifer types within the Watsonia subarea across two districts, the "Combined Fractured Rock West" and "Palaeochannel" districts.

The main groundwater sources in the region are derived from:

- Regional, topographic catchment-controlled systems in fresh and weathered fractured rock,
- Cenozoic filled paleochannel sands (not identified within the development envelope),
- Carbonate or siliceous caprock units that commonly overlie palaeovalleys or develop over deep saprolitic weathering profiles, and
- Shallow alluvium.

The water table is mostly below the base of oxidation and is quite deep (58 to 70 mbgl) and extends deeper (80 mbgl) towards the south. Studies have shown a generally low permeability hydrological environment in the Earl Grey pit area with very low permeability in the southern half of the expansion area and low permeability along the southern margin of the central dolerite dyke. Groundwater flow and potential for seepage is likely dominated by preferential flow paths and vertical gradients (EMM, 2025 appended in Attachment 3).

Overall groundwater quality within the EGLP is saline to hypersaline with total dissolved solids (TDS) levels between 7,640 mg/L and 119,000 mg/L, the highest salinity groundwater recorded in the northeastern part of the Pit expansion.

The groundwater is classified as very hard with elevated concentrations of bicarbonate, calcium and magnesium with sodium and chloride identified as the dominant ions. Slightly elevated concentrations of some metals and metalloids including arsenic, cadmium and copper were recorded although the values remained below the ANZ 2018 livestock drinking water guidelines.

Attachments		N/A	Yes
10.4	Attachment 7: Siting and location You must provide details and a map describing the siting and location of the premises, including identification of distances to sensitive land uses and/or any specified ecosystems.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Part 11: Submission of any other relevant information

Attachments		No	Yes
11.1	Attachment 8: Additional information submitted Applicants seeking to submit further information may include information labelled Attachment 8. If submitting multiple additional attachments, label them 8A, 8B, etc. Where additional documentation is submitted, please specify the name of documents below.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
List title of additional document(s) attached:			

Part 12: Category checklist(s)				
Attachments			N/A	Yes
12.1	Attachment 9: Category checklist(s)	<p>DWER has developed category checklists to assist applicants with preparing their application.</p> <p>These checklists are available on DWER's website.</p> <p>The relevant category-specific checklist(s) must be completed and included with the application, labelled as Attachment 9. If attaching multiple category checklists, label them 9A, 9B, etc.</p> <p>Do not select "N/A" unless:</p> <ul style="list-style-type: none"> a relevant category checklist is not yet published on DWER's website, or the application is for an amendment that does not propose changes to the method of operation, or change the inputs, outputs, infrastructure, equipment, emissions, or discharges of / from the premises. <p>Note that that a category checklist(s) may still be required for renewal applications. You will be advised in your renewal notification letter (sent approximately twelve months before the licence expiry date) if you are required to provide the information identified in a category checklist.</p> <p>Where a category checklist is submitted, please specify which checklist(s) in the space below.</p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
List title(s) of category checklists attached:				

Part 13: Proposed fee calculation		
INSTRUCTIONS:		
Please calculate the prescribed fee using the relevant online fee calculator linked below.		
<ul style="list-style-type: none"> • Licence: www.der.wa.gov.au/LicenceFeeCalculator • Works approval: www.der.wa.gov.au/WorksApprovalFeeCalculator • Amendment: https://www.wa.gov.au/government/publications/works-approval-and-licence-amendment-fee-calculator 		
Different fee units apply for different fee components. Fee units may also have different amounts depending on the period in which the calculation is made.		
Once DWER has confirmed that the application submitted meets the relevant requirements of the EP Act, you will be issued an invoice with instructions for paying your application fee.		
Further information on fees can be found in the Fact Sheet: Industry Regulation fees , and on DWER's website .		
13.1	<p>Only the relevant fee calculations are to be completed as follows: <i>[mark the box to indicate sections completed]</i></p> <p><input checked="" type="checkbox"/> Section 13.3 for works approval applications</p> <p><input type="checkbox"/> Section 13.4 for licence / renewal applications</p> <p><input type="checkbox"/> Section 13.5 for registration applications</p> <p><input type="checkbox"/> Section 13.6 for amendment applications</p> <p><input type="checkbox"/> Section 13.7 for applications requiring clearing of native vegetation</p>	
13.2	All information and data used for the calculation of proposed fees has been provided in accordance with Section 13.8. <input type="checkbox"/>	
13.3 Proposed works approval fee		
Proposed works approval fee (see Schedule 3 of the EP Regulations)		
Fees relate to the cost of the works, including all capital costs (inclusive of GST) associated with the construction and establishment of the works proposed under the works approval application. This includes, for example, costs associated with earth works, hard stands, drainage, plant hire, equipment, processing plant, relocation of equipment and labour hire.		
Costs exclude:		
<ul style="list-style-type: none"> - the cost of land - the cost of buildings to be used for purposes unrelated to the purposes in respect of which the premises are, or will become, prescribed premises - costs for buildings unrelated to the prescribed premises activity or activities - consultancy fees relating to the works. 		
Fee component	Proposed fee	
13.4 Proposed licence fee (new licences and licence renewals)		
Detailed licence fee calculations		
Part 1 Premises component (see r.5D and Part 1 of Schedule 4 of the EP Regulations)		
The production or design capacity should be the maximum capacity of the premises. For most categories, the production or design capacity refers to an annual rate. The figure should be based on 24 hour operation for 365 days, unless there is another regulatory approval or technical reason that restricts operation.		
The premises component fee applies to the category in Part 1, Schedule 4 incurring the higher or highest amount of fee units in accordance with r.5D(2) of the EP Regulations.		
List all categories (insert additional rows as required). Use only the higher or highest amount of fee units to determine the Part 1 fee component.		
Category	Production or design capacity	Fee units
Using the higher or highest amount of fee units, Part 1 component subtotal		\$

Part 2 Waste (see r.5D(1a)(b) and Part 2 of Schedule 4 of the EP Regulations)

If your premises includes one or more of the following categories specify any applicable Part 2 waste amounts. Do not include Part 3 waste components of these discharges in the below calculations.

Categories: 5, 6, 7, 8, 9, 12, 14, 44, 46, 53, 54A, 70, 80, or 85B

Part 2 waste means waste consisting of –

- (a) tailings; or
- (b) bitterns; or
- (c) water to allow mining of ore; or
- (d) flyash; or
- (e) waste water from a desalination plant.

If the premises does not fall into one of the categories listed above, or there are no applicable Part 2 waste amounts, the sub total for this section will be \$0.

Insert additional rows as required. Sum all Part 2 waste fees to determine the sub total.

Discharge quantity (tonnes/year)	Fee units
Part 2 component subtotal	\$

Part 3 Waste – Discharges to air, onto land, into waters (see Part 3 of Schedule 4 of the EP Regulations)

Choose the appropriate location of the discharge and enter the discharge amount(s) in the units specified in the EP Regulations. This should be the amount of waste expected to be discharged over the next 12 months, expressed in the units and averaging period applicable for that waste kind (for example, g/minute or kg/day). Amounts can be measured, calculated, or estimated and can be based on data acquired over the previous 12 months, but should be based on the maximum premises capacity and not the forecast operating hours.

Where there are discharges, all prescribed waste types must be considered in the fee calculation. If a specified waste type is not present in the discharge, this must be justified using an appropriate emission estimation technique (for example, sampling data, industry sector guidance notes, National Pollution Inventory guides and emission factors).

Discharges to air			
Discharges to air	Discharge rate (g/min)	Discharges to air	Discharge rate (g/min)
Carbon monoxide		Nickel	
Oxides of nitrogen		Vanadium	
Sulphur oxides		Zinc	
Particulates (Total PM)		Vinyl chloride	
Volatile organic compounds		Hydrogen sulphide	
Inorganic fluoride		Benzene	
Pesticides		Carbon oxysulphide	
Aluminium		Carbon disulphide	
Arsenic		Acrylates	
Chromium		Beryllium	
Cobalt		Cadmium	
Copper		Mercury	
Lead		TDI (toluene-2, 4-di-iso-cyanate)	
Manganese		MDI (diphenyl-methane di-iso-cyanate)	
Molybdenum		Other waste	
Part 3 component subtotal		\$	
Discharges onto land or into waters			Discharge rate

1. Liquid waste that can potentially deprive receiving waters of oxygen (for each kilogram discharged per day) —	(a) biochemical oxygen demand (in the absence of chemical oxygen demand limit)	
	(b) chemical oxygen demand (in the absence of total organic carbon limit)	
	(c) total organic carbon	
2. Bio-stimulants (for each kilogram discharged per day) —	(a) phosphorus	
	(b) total nitrogen	
3. Liquid waste that physically alters the characteristics of naturally occurring waters —	(a) total suspended solids (for each kilogram discharged per day)	
	(b) surfactants (for each kilogram discharged per day)	
	(c) colour alteration (for each platinum cobalt unit of colour above the ambient colour of the waters in each megalitre discharged per day)	
	(d) temperature alteration (for each 1°C above the ambient temperature of the waters in each megalitre discharged per day) — (i) in the sea south of the Tropic of Capricorn (ii) in other waters	
4. Waste that can potentially accumulate in the environment or living tissue (for each kilogram discharged per day) —	(a) aluminium	
	(b) arsenic	
	(c) cadmium	
	(d) chromium	
	(e) cobalt	
	(f) copper	
	(g) lead	
	(h) mercury	
	(i) molybdenum	
	(j) nickel	
	(k) vanadium	
	(l) zinc	
	(m) pesticides	
	(n) fish tainting wastes	
(o) manganese		
5. <i>E. coli</i> bacteria as indicator species (in each megalitre discharged per day) —	(a) 1,000 to 5,000 organisms per 100 ml	
	(b) 5,000 to 20,000 organisms per 100 ml	
	(c) more than 20,000 organisms per 100 ml	
6. Other waste (per kilogram discharged per day) —	(a) oil and grease	
	(b) total dissolved solids	
	(c) fluoride	
	(d) iron	
	(e) total residual chlorine	

	(f) other	
Part 3 component subtotal		\$
Summary – Proposed licence fee		
Part 1 Component		
Part 2 Component		
Part 3 Component		
Total proposed licence fees:		\$
13.5 Prescribed fee for registration		
A fee of 24 units applies for an application for registration of premises, unless the occupier of the premises holds a licence in respect of the premises, in accordance with r.5B(2)(c) of the EP Regulations.		<input type="checkbox"/> (Tick to acknowledge)
13.6 Amendment fee (works approval or licence)		
The fee prescribed for an application for an amendment to a works approval or licence is calculated in accordance with r.5BB(1)(a) of the EP Regulations:		
<ul style="list-style-type: none"> for a single category of prescribed premises to which the works approval or licence relates, by using the fee unit number corresponding to the prescribed premises category and relevant design capacity threshold in Schedule 4 Part 1 of the EP Regulations. for multiple categories of prescribed premises to which the works approval or licence relates, by using the highest fee unit number corresponding to the prescribed premises categories and design capacity threshold in Schedule 4 Part 1 of the EP Regulations. 		
Fee Units	Proposed fee	
13.7 Prescribed fee for clearing permit		
In accordance with the Guideline: Industry Regulation Guide to Licensing and Procedure: Native vegetation clearing permits , where approval to clear native vegetation is sought as part of an application for a works approval or licence, DWER may elect to either jointly or separately determine the clearing component of the application. Where DWER separately determines the clearing component of an application, the application will be deemed to be an application for a clearing permit under s.51E of the EP Act and processed accordingly. Note: If a clearing permit application has been separately submitted and accepted by DWER, a refund for the clearing permit application will not be provided where DWER determines to address clearing requirements as part of a related works approval application.		<input type="checkbox"/> (Tick to acknowledge)
13.8 Information and data used to calculate proposed fees		
The detailed calculations of fee components, including all information and data used for the calculations are to be provided as attachments to this application, labelled as Attachment 10 , with an appropriate suffix (for example 10A, 10B etc.). Please specify the relevant attachment number in the space/s provided below.		
Proposed fee for works approval	Attachment No.	
Details for cost of works		
Proposed fee for licence	Attachment No.	
Part 1: Premises		
Part 2: Waste types		
Part 3: Discharges to air, onto land, into waters		

Part 14: Commercially sensitive or confidential information		
<p>NOTE: Information submitted as part of this application will be made publicly available. If you wish to submit commercially sensitive or confidential information, please identify the information in Attachment 11, and include a written statement of reasons why you request each item of information be kept confidential. Information submitted later in the application process may also be made publicly available at DWER's discretion. For any commercially sensitive or confidential information, please follow the same process as described above.</p> <p>DWER will take reasonable steps to protect genuinely confidential or commercially sensitive information. However, please note that DWER cannot commit to redacting all personal information from all supporting documents. You are advised to ensure that all personal information, including signatures, are removed from supporting documents prior to submitting them to the department. Please note that all submitted information may be the subject of an application for release under the <i>Freedom of Information Act 1992</i>.</p>		
All information which you would propose to be exempt from public disclosure has been separately placed in a redacted version of the application form and its supporting documentation. Note that this is in addition to the unredacted version(s) provided to DWER for its assessment. Grounds for claiming exemption in accordance with Schedule 1 to the <i>Freedom of Information Act 1992</i> must be specified in Attachment 11 (located at the end of this form).	Attached <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

Part 15: Submission of application	
<p>INSTRUCTIONS: Check one of the boxes below to nominate how you will submit your application. Files larger than 50MB cannot be received via email by DWER. Files larger than 50MB can be sent via File Transfer. Alternatively, email DWER to make other arrangements.</p>	
A full, signed, electronic copy of the application form including all attachments has been submitted via email to info@dwer.wa.gov.au : OR	<input checked="" type="checkbox"/>
A signed, electronic copy of the application form has been submitted via email to info@dwer.wa.gov.au and attachments have been submitted via File Transfer, or electronically by other means as arranged with DWER; OR	<input type="checkbox"/>
A full, signed hard copy has been sent to: APPLICATION SUBMISSIONS Department of Water and Environmental Regulation Locked Bag 10 Joondalup DC WA 6919	<input type="checkbox"/>

Part 16: Declaration and signature

General


I / We confirm and acknowledge that:

- the information contained in this application is true and correct;
- I / we have legal authority to sign on behalf of the applicant (where authorisation provided);
- I / we have not altered the requirements and instructions set out in this application form;
- I / we have provided a valid email address in Section 2.3 for receipt of correspondence electronically via email from DWER in relation to this application;
- that successful delivery to my / our server constitutes receipt of correspondence sent electronically via email from DWER in relation to this application; and
- I / we have provided a valid postal and/or business address in Section 2.4 for the service of all Part V documents;
- giving or causing to be given information that to my knowledge is false or misleading is an offence under s.112 of the EP Act and may incur a penalty of up to \$100,000.

Publication

I / We confirm and acknowledge:

- this application (including all attachments apart from the sections identified in Attachment 11) is a public document and may be published;
- marine surveys provided in accordance with Part 5 will be published and used, for the purposes of the IMSA project, in accordance with your declaration made in the *Metadata and Licensing Statement*;
- all necessary consents for the publication of information have been obtained from third parties;
- information considered exempt from public disclosure has been noted by redaction of a separately provided copy of the completed application form and its supporting documentation (in accordance with Part 14), with reasons as to why the information should be exempt in accordance with the grounds specified in Schedule 1 to the *Freedom of Information Act 1992 (WA)* being provided in Attachment 11;
- subsequent information provided in relation to this application will be a public document and may be published unless written notice has been given to DWER by the applicant, at the time the information is provided, claiming that the information is considered exempt from public disclosure; and
- the decision to not publish information will be at the discretion of the CEO of DWER and will be made consistently with the provisions of the *Freedom of Information Act 1992 (WA)*.



4/3/2026 | 3:58 PM AWST

Date

Signature

Date

Name

Position

NOTE: This form may be signed:

- if the applicant is an individual, by the individual;
- if the applicant is a corporation, by:
 - > the common seal being affixed in accordance with the *Corporations Act 2001 (Cth)*; or
 - > two directors; or
 - > a director and a company secretary; or
 - > if a proprietary company has a sole director who is also the sole company secretary, by that director; and
- by a person with legal authority to sign on behalf of the applicant.

