



**Part 1: Application type**

**INSTRUCTIONS:**

- Completion of this form is a statutory requirement under s.54(1)(a) of the *Environmental Protection Act 1986 (WA) (EP Act)* for works approval applications; s.57(1)(a) for licence and licence renewal applications; s.59B(1)(a) for applications for an amendment; and under r.5B(2)(a) of the *Environmental Protection Regulations 1987 (WA) (EP Regulations)* for applications for registration of premises.
- The instructions set out in this application form are general in nature.
- A reference to 'you' in these instructions is a reference to the applicant.
- The information provided to you by the Department of Water and Environmental Regulation (DWER) in relation to making applications does not constitute legal advice. DWER recommends that you obtain independent legal advice.
- Applicants seeking further information relating to requirements under the EP Act and/or EP Regulations are directed to the Parliamentary Counsel's Office website ([www.legislation.wa.gov.au](http://www.legislation.wa.gov.au)). Schedule 1 of the EP Regulations contains the categories of prescribed premises.
- For prescribed premises where activities fall within more than one category, ALL applicable categories must be identified. This applies for existing prescribed premises seeking renewal or amendment, as well as new prescribed premises.
- The application form must be completed with all relevant information attached. Attachments can be combined and submitted as one or more consolidated documents if desired, provided it is clear which section of the application form the information / attachments relate to. Where attachments are submitted separately, avoid duplicating information. Ensure that any cross-references between the application form and the supporting document(s) are accurate.
- If an application form has been submitted which is incomplete or materially incorrect, the Chief Executive Officer of DWER (CEO) will decline to deal with the application and advise the applicant accordingly.
- On completing this application form, please submit it to DWER in line with the instructions in Part 15 of the form.

1.1 This is an application for:  
*[Select one option only. Your application may be returned if multiple options are selected.]*

under Part V, Division 3 of the EP Act.

Please see the:

- [Guideline: Industry Regulation Guide to Licensing](#)
- [Procedure: Prescribed premises works approvals and licences](#)

for more information to assist in understanding DWER's regulatory regime for prescribed premises.

- Works approval
- Licence  
Existing registration number(s): [     ]  
Existing works approval number(s): [     ]
- Renewal  
Existing licence number: [     ]
- Amendment  
Number of the existing licence or works approval to be amended: [     ]
- Registration (works approval already obtained)  
Existing works approval number(s): [     ]

1.2 For a works approval amendment or licence amendment, are there less than 90 business days until the expiry of the existing works approval or licence?  
Only active instruments can be amended. Applications to amend a works approval or licence must be made 90 business days or more prior to the existing works approval or licence expiring to ensure there is adequate time to assess the amendment.

Yes

1.3 This application is for the following categories of prescribed premises:  
*(specify all prescribed premises category numbers)*

- [85] Sewage facility premises (for more than 20 but less than 100 m<sup>3</sup> per day) –
- a) On which sewage is treated (excluding septic tanks); or
- b) From which treated sewage is discharged onto land or into waters

**Part 1: Application type**


All activities that meet the definition of a prescribed premises as set out in Schedule 1 of the EP Regulations have been specified above (tick, if yes).

**Completion Matrix**

The matrix below explains what sections are required to be completed for different types of applications.

Application form section	New application / registration	Renewal	Amendment
Part 1: Application type	•	•	•
Part 2: Applicant details	•	•	•
Part 3: Premises details	•	•	△
Part 4: Proposed activities	•	•	•
Part 5: Index of Biodiversity Surveys for Assessment and Index of Marine Surveys for Assessment	If required.	If required.	If required.
Part 6: Other DWER approvals	•	•	•
Part 7: Other approvals and consultation	•	•	•
Part 8: Applicant history	•	•	△
Part 9: Emissions, discharges, and waste	•	•	△
Part 10: Siting and location	•	•	△
Part 11: Submission of any other relevant information	•	•	If required.
Part 12: Category checklist(s)	•	•	•
Part 13: Proposed fee calculation	•	•	•
Part 14: Commercially sensitive or confidential information	•	•	•
Part 15: Submission of application	•	•	•
Part 16: Declaration and signature	•	•	•
Attachment 1A: Proof of occupier status	•	•	N/A
Attachment 1B: ASIC company extract	•	•	N/A
Attachment 1C: Authorisation to act as a representative of the occupier	•	•	•
Attachment 2: Premises map/s	•	•	△
Attachment 3A: Environmental commissioning plan	If required.	N/A	If required
Attachment 3B: Proposed activities	•	•	△
Attachment 3C: Map of area proposed to be cleared (only applicable if clearing is proposed)	•	•	•
Attachment 3D: Additional information for clearing assessment	If required.	If required.	If required.
Attachment 4: Marine surveys (only applicable if marine surveys included in application)	•	•	•
Attachment 5: Other approvals and consultation documentation	•	•	△
Attachment 6A: Emissions and discharges	If required.	If required.	If required.
Attachment 6B: Waste acceptance	If required.	If required.	If required.
Attachment 7: Siting and location	•	•	△
Attachment 8: Additional information submitted	If required.	If required.	If required.
Attachment 9: Category-specific checklist(s)	•	If required.	If required.
Attachment 10: Proposed fee calculation	•	•	•
Attachment 11: Request for exemption from publication	If required.	If required.	If required.

**Key:**

•	Must be completed / submitted.
▲	To the extent changed / required in relation to the amendment.
N/A	Not required with application, but may be requested subsequently depending on DWER records.
"If required"	Sections for applicants to determine.

**Part 2: Applicant details**
**INSTRUCTIONS:**

- The applicant (the occupier of the premises) must be an individual(s), a company, body corporate, or public authority, but not a partnership, trust, or joint-venture name. Applications made by or on behalf of business names or unincorporated associations will not be accepted.
- If applying as an individual, your full legal name must be provided.
- If applying as a company, body corporate, or public authority, the full legal entity name must be inserted.
- Australian Company Number's (ACN) must be provided for all companies or body corporates.
- DWER prefers to send all correspondence electronically via email. We request that you consent to receiving all correspondence relating to instruments and notices under Part V of the EP Act (Part V documents) electronically via email, by indicating your consent in Section 2.3.
- Companies or body corporates making an application must nominate an authorised representative from within their organisation. Proof of authorisation must be submitted with the application (see Section 2.10). If you are applying as an individual, you are the representative.
- Details of a contact person must be provided for DWER enquiries in relation to your application. This contact person can be a consultant if authorised to represent the applicant. Written evidence of this authorisation must be provided.
- Details of the occupier of the premises must be provided. One of the options must be selected and if you have been asked to specify, please provide details. For example, if 'lease holder' has been selected, please specify the type of lease (for example, pastoral lease, mining lease, or general lease) and provide a copy of the lease document(s). Note that contracts for sale of land will not be sufficient evidence of occupancy status.

2.1	<b>Applicant name/s (full legal name/s):</b> The proposed holder of the works approval, licence or registration.	Resource Accommodation Management Pty Ltd		
	<b>ACN (if applicable):</b>	158 999 958		
2.2	<b>Trading as (if applicable):</b>	Norseman Accommodation Village Wastewater Treatment Plant		
2.3	<b>Authorised representative details:</b> The person authorised to receive correspondence and Part V documents on behalf of the applicant under the EP Act.  Where 'yes' is selected, all correspondence will be sent to you via email, to the email address provided in this section.  Where 'no' has been selected, Part V documents will be posted to you in hard copy to the postal / business address specified in Section 2.4, below. Other general correspondence may still be sent to you via email.	Name	[REDACTED]	
		Position	[REDACTED]	
		Telephone	[REDACTED]	
		Email	[REDACTED]	
		<i>I consent to all written correspondence between myself (the applicant) and DWER, regarding the subject of this application, being exclusively via email, using the email address I have provided above.</i>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
2.4	<b>Registered office address, as registered with the Australian Securities and Investments Commission (ASIC):</b> This must be a physical address to which a Part V document may be delivered.	Suite 5, Level 2, 2 Grosvenor Street Bondi Junction NSW 2022		

Part 2: Applicant details				
2.5	<b>Postal address for all other correspondence:</b> If different from Section 2.4.	PO Box 56 Norseman WA 6443		
2.6	<b>Contact person details for DWER enquiries relating to the application (if different from the authorised representative):</b> For example, could be a consultant or a site-based employee.	Name	[REDACTED]	
		Position	[REDACTED]	
		Organisation	[REDACTED]	
		Address	[REDACTED]	
		Telephone	[REDACTED]	
		Email	[REDACTED]	
2.7	<b>Occupier status:</b> Occupier is defined in s.3 of the EP Act and includes a person in occupation or control of the premises, or occupying a different part of the premises whether or not that person is the owner. Note: if a lease holder, the applicant must be the holder of an executed lease, not just an agreement to lease.	Registered proprietor on certificate of title.	<input checked="" type="checkbox"/>	
		Lease holder (please specify, including date of expiry of lease).	<input type="checkbox"/>	
		Public authority that has care, control, or management of the land.	<input type="checkbox"/>	
		Other evidence of legal occupation or control (please specify – for example, joint venture operating entity, contract, letter of operational control, or other legal document or evidence of legal occupation).	<input type="checkbox"/>	
Attachments			N/A	Yes
2.8	<b>Attachment 1A: Proof of occupier status</b>	Copies of certificate of title, lease, or other instruments evidencing proof of occupier status, including the expiry date or confirmation that there is no expiry date, have been provided and labelled as Attachment 1A.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2.9	<b>Attachment 1B: ASIC company extract</b>	A current company information extract (not the company information summary) purchased from the ASIC website(s) for all new applications / registrations has been provided and labelled as Attachment 1B.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2.10	<b>Attachment 1C: Authorisation to act as representative of the occupier</b>	A copy of the documentation authorising the applicant to act on the occupier's behalf as their authorised agent/representative has been provided and labelled as Attachment 1C.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Part 3: Premises details		N/A	Yes	
3.1	<p><b>Premises description (whole or part to be specified):</b> Include the land description (volume and folio number, lot, or location number/s); Crown lease or reserve number; pastoral lease number; or mining tenement number (as appropriate), of all properties, as shown on title details registered with Landgate.</p> <p><b>Premises street address</b> Include the suburb.</p> <p><b>Premises name (if applicable):</b></p>	<p>Legal description – Lot 874 on Plan 172130</p> <p>51 Richardson Street NORSEMAN WA 6443</p> <p>Norseman Accommodation Village Wastewater Treatment Plant</p>		
3.2	<p><b>Local Government Authority area:</b> City, Town, or Shire.</p>	Dundas Shire Council		
3.3	<p><b>GPS (latitude and longitude) coordinates:</b> GPS coordinates determined using the GDA 2020 (Geographic latitude / longitude) coordinate system and datum must be provided for all points around the proposed premises boundary, where the entirety of the cadastral (land parcel) or mining tenements are not used as the premises boundary.</p>	<p>Latitude:-32.19513636, Longitude: 121.77330986</p>		
Attachments		N/A	Yes	
3.4	<p><b>Attachment 2: Premises map(s)</b></p> <p>You must provide as an attachment to this application form, labelled Attachment 2, either:</p> <ol style="list-style-type: none"> <li>an aerial photograph, map, and site plan of sufficient scale showing the proposed prescribed premises boundary</li> </ol> <p>or</p> <ol style="list-style-type: none"> <li>where available, a map of the proposed premises boundary and site plan as an ESRI shapefile (accepted file types include .dbf, .shp, .prj, and .shx) with the following properties (provided on a suitable portable digital storage device, if submitting application in hard copy form):</li> </ol> <ul style="list-style-type: none"> <li>Geometry type: Polygon Shape</li> <li>Coordinate system: GDA 2020 (Geographic latitude / longitude)</li> <li>Datum: GDA 2020 (Geocentric Datum of Australia 2020).</li> </ul> <p>You must also provide a map or maps of the prescribed premises, clearly identifying and labelling:</p> <ul style="list-style-type: none"> <li>layout of key infrastructure and buildings, clearly labelled;</li> <li>the premises boundary (where the premises boundary does not align with the entirety of the cadastral boundary, identify the Lot Number for which the premises is part of);</li> <li>emission and discharge points (with precise GPS coordinates where available);</li> <li>monitoring points (with precise GPS coordinates where available);</li> <li>sensitive receptors and land uses</li> <li>all areas proposed to be cleared (if applicable).</li> </ul> <p>Maps must contain a north arrow, clearly marking the area in which the activities are carried out. The map or maps must be of reasonable clarity and have a visible scale.</p>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

**Part 4: Proposed activities****INSTRUCTIONS:**

- You must provide a description and the scope, size and scale of all prescribed activities of Schedule 1 to the EP Regulations including the maximum production or design capacity of each prescribed activity.
- If applying for a works approval or licence amendment involving the construction of new infrastructure, you must provide information on infrastructure to be constructed and how long construction is expected to take. You must confirm if commissioning is to occur and how long it will take.
- If applying for a works approval or licence amendment *not* involving the construction of new infrastructure, provide details of the proposed amendment.
- You must identify all emission sources on the premises map/s.
- You must also provide information on activities which directly relate to the prescribed premises category which have, or are likely to result in, an emission or discharge.
- If clearing activities are proposed provide a description and details. If a relevant exemption under Schedule 6 of the EP Act or r.5 of the Environmental Protection (Clearing of Native Vegetation) Regulations 2004 (WA) (Clearing Regulations) may apply, provide details.
- Note that in some cases, DWER may require that the clearing components of a works approval or licence (or amendment) application be submitted separately through the clearing permit application process. Refer to the [Procedure: Prescribed premises works approvals and licences](#) for further guidance.
- Please note that the requested information is critical to DWER's understanding of the proposed activities. The more accurate, specific, and complete the information provided in the application, the less uncertainty that DWER may identify in the application, therefore facilitating completion of the assessment in a more efficient and timely manner.

**4.1 Prescribed premises infrastructure and equipment**

In Table 4.1 (below), provide a list of all items of infrastructure and equipment within the boundary of the prescribed premises relevant to this application, and include the following details for each:

- **relevant categories (if known)** – the categories of prescribed premises (as listed under Schedule 1 of the EP Regulations) that relate to that infrastructure or equipment;
- **site plan reference** – the location of that infrastructure or equipment (with reference to the site plan map or maps provided above in Section 3.4 and labelled as Attachment 2 – e.g. use GPS coordinates or a clear description such as “labelled as [label on premises map] on Map A”);
- **is it critical containment infrastructure (CCI)?** – indicate if the identified infrastructure or equipment would be categorised as CCI. Refer to the [Guideline: Industry Regulation Guide to Licensing](#) for further information on CCI; and
- **is environmental commissioning required?** – indicate if environmental commissioning is intended to be undertaken for that item of infrastructure or equipment. Refer to the [Guideline: Industry Regulation Guide to Licensing](#) for further information on environmental commissioning.

Add additional rows to Table 4.1 (below) as required.

**Table 4.1: Infrastructure and equipment**

	Infrastructure and equipment	Relevant categories (if known)	Site plan reference	CCI? (mark if yes)	Environmental commissioning? (mark if yes)
1.	Influent Screen (SCR-101) CA	CAT 85	GA Layout – MAK6129-VA-001 (Influent screening area)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2.	4 kL Pump Station (TK-101) with submersible pumps	CAT 85	GA Layout – MAK6129-VA-001 (Pump Station near inlet)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3.	2 × 50 kL Balance Tanks (TK-201A/B)	CAT 85	GA Layout – Tank farm area (Balance Tanks)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4.	13.5 kL Pre-Anoxic Tank (TK-202)	CAT 85	GA Layout – MAK6129-VA-001 (Process tanks area)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5.	50 kL Aeration Tank (TK-301) including 2 × Submersible Aerators	CAT 85	GA Layout – Aeration zone (TK-301)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6.	15 kL MBR Tank (TK-303) including membrane modules and blower	CAT 85	GA Layout – MBR tank area (TK-303)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7.	2 × 50 kL Treated Effluent Tanks (TK-401A/B)	CAT 85	GA Layout – Treated effluent storage	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
8.	3 × Emergency Storage Tanks (existing 50 kL tanks repurposed)	CAT 85	GA Layout (Emergency Storage Area) – referenced in Section 4.4.2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9.	13.5 kL Sludge Storage Tank (TK-102)	CAT 85	Shown adjacent to process tanks – GA Layout	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
10.	Chemical Dosing Tanks (200 L each) – pH Correction (High), Coagulant, Chlorine	CAT 85	Chemical bund area – GA Layout; Chemical summary Table 4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
11.	20' Containerised Plantroom including MCC, pumps and instrumentation	CAT 85	MAK6129-VA-002 Container Layout	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12.	MBR Permeate Pumps and UV Steriliser	CAT 85	Container Layout – MAK6129-VA-002 and P&ID VJ-004	<input type="checkbox"/>	<input checked="" type="checkbox"/>
13.	Treated Effluent Recirculation Pump (PU-402)	CAT 85	P&ID VJ-004 (TE Tank recirculation)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14.	Utility Booster Pump (PU-404)	CAT 85	Container Layout and P&ID VJ-004	<input type="checkbox"/>	<input checked="" type="checkbox"/>
15.	RAS/WAS Pump (PU-303)	CAT 85	P&ID VJ-003 – RAS/WAS return system	<input type="checkbox"/>	<input checked="" type="checkbox"/>
16.	MLR Pump (PU-301)	CAT 85	P&ID VJ-003 – Mixed Liquor Return system	<input type="checkbox"/>	<input checked="" type="checkbox"/>
17.	Spray Irrigation Field (14,700 m <sup>2</sup> ) including wobble sprinklers and HDPE pipework	CAT 85	Spray Field Layout – ALUMARINE drawing (Appendix A)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
18.	Treated Effluent Standpipe Pump Skid (Truck Loading)	CAT 85	GA Layout – Standpipe location (BL-13)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
19.	Stormwater and Bunding Containment System	CAT 85	GA Layout (bund walls); Section 4.7.1 Containment	<input type="checkbox"/>	<input checked="" type="checkbox"/>
20.	Instrumentation – pH, DO, MLSS, Turbidity, UVT, Level Sensors, Flow Meters	CAT 85	P&IDs VJ-001–005; instrumentation tables	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**Part 4: Proposed activities****4.2 Detailed description of proposed activities or proposed changes (if an amendment):**

You must provide details of proposed activities relevant to this application within the boundary of the prescribed premises, identifying:

- scope, size, and scale of the project, including details as to production or design capacity (and/or frequency, if applicable);
- key infrastructure and equipment;
- description of processes or operations (a process flow chart may be included as an attachment);
- emission / discharge points;
- locations of waste storage or disposal
- activities occurring during construction, environmental commissioning, and operation (if applicable).

If assessment and imposition of conditions to allow environmental commissioning to be undertaken are requested, please provide an environmental commissioning plan as Attachment 3A (see 4.11 below).

Additional information relating to the proposed activities may be included in Attachment 3B (see 4.12 below).

**Construction activities (if applicable):**

- Construction and installation of a new wastewater treatment plant
- Installation of pad, foundations, containment bunding, tank placement, pipework, electrical connections
- Installation of key equipment, such as the influent screen, pump stations, balance tanks, pre-anoxic tank, aeration tank, MBR tank and CIP tank, treated effluent tanks, and auxiliary equipment such as pumps
- Existing WWTP remains operational during construction
- Area fenced as construction zone with restricted access

**Environmental commissioning activities (if applicable):**

Refer to the [Guideline: Industry Regulation Guide to Licensing](#) for further guidance.

Commissioning follows the MAK6129 Commissioning Plan (Appendix H):

**Construction Verification**

1. Pre-commissioning (mechanical, electrical, instrumentation)
2. Load commissioning
  - a. Clean water testing
  - b. Raw influent introduction
3. Performance verification
  - a. Achieve Class A effluent standards
  - b. Confirm stable biological system, membrane performance, TMP monitoring
4. Operational handover

**Time limited operations activities (if applicable):**

Different elements of the premises may require time limited operations to commence at different times. In these circumstances, please specify the infrastructure and/or equipment for which time limited operations authorisation is being applied for.

If time limited operations are expected to differ from future licensed operations, specify how and why this would be the case.

Refer to the [Guideline: Industry Regulation Guide to Licensing](#) for further guidance.

- Time Limited Operations period begins once DWER accepts the commissioning report
- Gradual increase to full 75 kL/day loading
- Monitoring of effluent quality, flows, chlorine residual, membrane TMP, and storage levels
- Existing WWTP decommissioned only after successful transition and licence issue

**Operations activities (for a licence):**

Part 4: Proposed activities			
	<ul style="list-style-type: none"> <li>Continuous 24/7 operation of the MBR system and daily inspections of tanks, pumps, analysers</li> <li>Preventative maintenance under RAMS MaintX system and effluent reuse (truck transfer) as primary pathway</li> <li>Spray field operation only during contingency conditions</li> </ul>		
4.3	<b>Estimated operating period of the project / premises (e.g. based on estimated infrastructure life):</b>	10 years	
4.4	<b>Proposed date(s) for commencement of works (if applicable):</b>	March 2026	
4.5	<b>Proposed date(s) for conclusion of works construction (if applicable):</b> This date should coincide with the submission to DWER of an Environmental Compliance Report(s) and/or a Critical Containment Infrastructure Report(s) as required. Refer to the <a href="#">Guideline: Industry Regulation Guide to Licensing</a> .	September 2026 – 6 months after commencement of works	
4.6	<b>Proposed date(s) for environmental commissioning of works (if applicable):</b> Refer to the <a href="#">Guideline: Industry Regulation Guide to Licensing</a> .	Immediately following construction for a duration of approximately 1 month.	
4.7	<b>Proposed date/s for commencement of time limited operations under works approval (if applicable):</b> Refer to the <a href="#">Guideline: Industry Regulation Guide to Licensing</a> .	Immediately after acceptance of commissioning results.	
4.8	<b>Maximum production or design capacity for each category applied for (based on infrastructure operating 24 hours a day, 7 days a week):</b> Provide figures for all categories listed in Section 1.2. Units of measurement must be the same as the units of measurement associated with the relevant category as identified in Schedule 1 of the EP Regulations.	Category 85 – Sewage Treatment Facility Design capacity: 75,000 L/day (75 m <sup>3</sup> /day)	
4.9	<b>Estimated / actual throughput for each category applied for:</b> Provide figures for all categories listed in Section 1.2. Units of measurement must be the same as the units of measurement associated with the relevant category as identified in Schedule 1 of the EP Regulations.	Category 85 – Sewage Treatment Facility Estimated / actual throughput: 59,575 L/day (59.6 m <sup>3</sup> /day)	
<b>Attachments</b>		<b>N/A</b>	<b>Yes</b>
4.10	<b>Attachment 2: Premises map</b> Emission/discharge points are clearly labelled on the map/s required for Part 3.4 (Attachment 2).	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Part 4: Proposed activities				
4.11	<b>Attachment 3A: Environmental commissioning plan</b>	<p>If applying to construct works or install equipment, and environmental commissioning of the works or equipment is planned, an environmental commissioning plan has been included in Attachment 3A.</p> <p>The environmental commissioning plan is expected to include, at minimum, identification of:</p> <ul style="list-style-type: none"> <li>the sequence of commissioning activities to be undertaken, including details on whether they will be done in stages;</li> <li>a summary of the timeframes associated with the identified sequence of commissioning activities;</li> <li>the inputs and outputs that will be used in the commissioning process;</li> <li>the emissions and/or discharges expected to occur during commissioning;</li> <li>the emissions and/or discharges that will be monitored and/or confirmed to establish or test a steady-state operation (e.g. identifying emissions surrogates, etc.), including a detailed emissions monitoring program for the measurement of those emissions and/or discharges;</li> <li>the controls (including management actions) that will be put in place to address the expected emissions and/or discharges;</li> <li>any contingency plans for if emissions exceedances or unplanned emissions and/or discharges occur</li> <li>how any of the above would differ from standard operations once commissioning is complete.</li> </ul> <p>Note that DWER will not include conditions on a granted instrument that authorise environmental commissioning activities where it is not satisfied that the risks associated with environmental commissioning can be adequately addressed.</p>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4.12	<b>Attachment 3B: Proposed activities</b>	Additional information relating to the proposed activities has been included in Attachment 3B (if required).	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Clearing activities</b>				
4.13 to 4.19 are only required if the application includes clearing of native vegetation.				
4.13	<b>Proposed clearing area (hectares and/or number of individual trees to be removed):</b>			
4.14	<b>Details of any relevant exemptions:</b> Refer to DWER's <a href="#">A guide to the exemptions and regulations for clearing native vegetation</a> .			
4.15	<b>Proposed method of clearing:</b>			
4.16	<b>Period within which clearing is proposed to be undertaken:</b> For example, May 2020 – June 2020.			
4.17	<b>Purpose of clearing:</b>			
<b>Clearing activities – Attachments</b>			<b>N/A</b>	<b>Yes</b>

Part 4: Proposed activities				
4.18	<b>Attachment 3C: Map of area proposed to be cleared</b>	You must provide: an aerial photograph or map of sufficient scale showing the proposed clearing area and prescribed premises boundary OR if you have the facilities, a suitable portable digital storage device of the area proposed to be cleared as an ESRI shapefile with the following properties: <ul style="list-style-type: none"> <li>• Geometry type: Polygon Shape</li> <li>• Coordinate system: GDA 2020 (Geographic latitude / longitude)</li> <li>• Datum: 2020 1994 (Geocentric Datum of Australia 2020).</li> </ul>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.19	<b>Attachment 3D: Additional information for clearing assessment</b>	Additional information to assist in the assessment of the clearing proposal may be attached to this application (for example, reports on salinity, fauna or flora studies or other environmental reports conducted for the site).	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Part 5: Index of Biodiversity and Marine Surveys for Assessments (IBSA and IMSA)				
<b>INSTRUCTIONS:</b>				
<ul style="list-style-type: none"> <li>• Biodiversity surveys should be submitted through the IBSA Submissions Portal at <a href="https://ibsasubmissions.dwer.wa.gov.au">ibsasubmissions.dwer.wa.gov.au</a></li> <li>• Biodiversity surveys submitted to support this application must meet the requirements of the EPA's <i>Instructions for the preparation of data packages for the Index of Biodiversity Surveys for Assessments (IBSA)</i>.</li> <li>• Marine surveys submitted to support this application must meet the requirements of the EPA's <i>Instructions for the preparation of data packages for the Index of Marine Surveys for Assessments (IMSA)</i>.</li> <li>• If these requirements are not met, DWER will decline to deal with the application.</li> </ul>				
<b>Attachments</b>			<b>N/A</b>	<b>Yes</b>
5.1	<b>Biodiversity surveys</b> Please provide the IBSA number(s) (or submission number(s) if IBSA number has not yet been issued) in the space provided.  Note that a submission number is not confirmation of acceptance of a biodiversity survey and is not the same as an IBSA number. IBSA numbers are only issued once a survey has been accepted. Once an IBSA number is issued, please notify the department.	All biodiversity surveys submitted with this application meet the requirements of the EPA's <a href="#">Instructions for the preparation of data packages for the Index of Biodiversity Surveys for Assessments (IBSA)</a> .  Submission number(s)  IBSA number(s)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.2	<b>Attachment 4: Marine surveys</b>	All marine surveys submitted with this application meet the requirements of the EPA's <a href="#">Instructions for the preparation of data packages for the Index of Marine Surveys for Assessments (IMSA)</a> .	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<b>Part 6: Other DWER approvals</b>	
<b>INSTRUCTIONS:</b>	
<ul style="list-style-type: none"> <li>If you have applied, or intend to apply, for other approvals within DWER that may be relevant to this application, you must provide relevant details.</li> <li>If you have referred, or intend to refer, your proposal to the Environmental Protection Authority (EPA), you must provide the requested details.</li> </ul>	
<b>Pre-application scoping</b>	
<p>6.1 <b>Have you had any pre-application / pre-referral / scoping meetings with DWER regarding any planned applications?</b></p>	<p><input checked="" type="checkbox"/> No</p> <p><input type="checkbox"/> Yes – provide details:</p> <div style="border: 1px solid black; height: 40px; width: 100%; margin-top: 5px;"></div>
<b>Environmental impact assessment (Part IV of the EP Act)</b>	
<p>6.2 <b>Have you referred or do you intend to refer the proposal to the EPA?</b></p> <p>Section 37B(1) of the EP Act defines a 'significant proposal' as "a proposal likely, if implemented, to have a significant effect on the environment".</p> <p>If DWER considers that the proposal in this application is likely to constitute a 'significant proposal', DWER is required under s.38(5) of the EP Act to refer the proposal to the EPA for assessment under Part IV, if such a referral has not already been made.</p> <p>If a relevant Ministerial Statement already exists, please provide the MS number in the space provided.</p>	<p><input type="checkbox"/> Yes (referred) – reference (if known): [       ]</p> <p><input type="checkbox"/> Yes – intend to refer (proposal is a 'significant proposal') <input type="checkbox"/> Yes – intend to refer (proposal will require a s.45C amendment to the current Ministerial Statement): MS [       ]</p> <p><input type="checkbox"/> No – a valid Ministerial Statement applies: MS [       ]</p> <p><input checked="" type="checkbox"/> No – not a 'significant proposal'</p>
<b>Clearing of native vegetation (Part V Division 2 of the EP Act and Country Area Water Supply Act 1947)</b>	
<p>6.3 <b>Have you applied or do you intend to apply for a native vegetation clearing permit?</b></p> <p>In accordance with the <a href="#">Guideline: Industry Regulation Guide to Licensing</a> and <a href="#">Procedure: Native vegetation clearing permits</a>, where clearing of native vegetation:</p> <ul style="list-style-type: none"> <li>is exempt under Schedule 6 of the EP Act or the Environmental Protection (Clearing of Native Vegetation) Regulations 2004 (WA) (refer to <a href="#">A guide to the exemptions and regulations for clearing native vegetation</a>)</li> <li>is being assessed by a relevant authority which would lead to an exemption under Schedule 6 of the EP Act, or</li> <li>has been referred under s.51DA of the EP Act and a determination made that a clearing permit is not required (refer to the <a href="#">Guideline: Native vegetation clearing referrals</a>),</li> </ul> <p>the clearing will not be reassessed by DWER or be subject to any additional controls by DWER.</p> <p>If the proposed clearing action is to be assessed in accordance with, or under, an <i>Environment Protection and Biodiversity Conservation Act</i> (Cth) (EPBC Act) accredited process, such as the assessment bilateral agreement, the clearing permit application <a href="#">Form Annex C7 – Assessment bilateral agreement</a> must be completed and attached to your clearing permit application.</p>	<p><input type="checkbox"/> Yes – clearing application reference (if known): CPS [       ]</p> <p><input type="checkbox"/> Yes – a valid EP Act clearing permit already applies: CPS [       ]</p> <p><input type="checkbox"/> No – this application includes clearing (please complete Sections 4.13 to 4.19 above)</p> <p><input checked="" type="checkbox"/> No – permit not required (no clearing of native vegetation)</p> <p><input type="checkbox"/> No – permit not required (clearing referral decision): CPS [       ]</p> <p><input type="checkbox"/> No – an exemption applies (explain why):</p> <div style="border: 1px solid black; height: 40px; width: 100%; margin-top: 5px;"></div>

Part 6: Other DWER approvals	
<p><b>6.4 Have you applied or do you intend to apply for a Country Area Water Supply Act 1947 licence?</b></p> <p>If a clearing exemption applies in a <i>Country Area Water Supply Act 1947</i> (CAWS Act) controlled catchment, or if compensation has previously been paid to retain the subject vegetation, a CAWS Act clearing licence is required.</p> <p>If yes, contact the relevant DWER regional office for a Form 1 <i>Application for licence</i>.</p> <p><a href="#">Map of CAWS Act controlled catchments</a></p>	<p><input type="checkbox"/> Yes – application reference (if known): [       ]</p> <p><input type="checkbox"/> No – a valid licence applies: [       ]</p> <p><input checked="" type="checkbox"/> No – licence not required</p>
Water licences and permits ( <i>Rights in Water and Irrigation Act 1914</i> )	
<p><b>6.5 Have you applied, or do you intend to apply for:</b></p> <ol style="list-style-type: none"> <li>1. a licence or amendment to a licence to take water (surface water or groundwater); or</li> <li>2. a licence to construct wells (including bores and soaks); or</li> <li>3. a permit or amendment to a permit to interfere with the bed and banks of a watercourse?</li> </ol> <p>For further guidance on water licences and permits under the <i>Rights in Water and Irrigation Act 1914</i>, refer to the <a href="#">Procedure: Water licences and permits</a>.</p>	<p><input type="checkbox"/> Yes –application reference (if known): [       ]</p> <p><input type="checkbox"/> No – a valid licence / permit applies: [       ]</p> <p><input type="checkbox"/> No – an exemption applies (explain why):</p> <div style="border: 1px solid black; height: 40px; width: 100%;"></div> <p><input checked="" type="checkbox"/> No – licence / permit not required</p>

Part 7: Other approvals and consultation			
<p><b>INSTRUCTIONS:</b></p> <ul style="list-style-type: none"> <li>• Please provide copies of all relevant documentation indicated below, including any conditions, exclusions, or expiry dates.</li> <li>• “Major Project” means:                             <ul style="list-style-type: none"> <li>➢ A State Development Project, where the lead agency is the Department of Jobs, Tourism, Science and Innovation (including projects to which a State Agreement applies); or</li> <li>➢ A Level 2 or 3 proposal, as defined in the Department of Premier and Cabinet’s <a href="#">Lead Agency Framework</a>.</li> </ul> </li> </ul>			
	N/A	No	Yes
7.1	<b>Is the proposal a Major Project?</b>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.2	<b>Is the proposal subject to a State Agreement Act?</b>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	If yes, specify which Act:		
7.3	<b>Has the proposal been allocated to a “Lead Agency” (as defined in the <a href="#">Lead Agency Framework</a>)?</b>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	If yes, specify Lead Agency contact details:		
7.4	<b>Has the proposal been referred and/or assessed under the EPBC Act (Commonwealth)?</b>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	If yes, please specify referral, assessment and/or approval number:		
7.5	<b>Has the proposal obtained all relevant planning approvals?</b>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	If planning approval is necessary but has not been obtained, please provide details indicating why:		
	If planning approval is not necessary, please provide details indicating why:		

Part 7: Other approvals and consultation					
7.6	For renewals or amendment applications, are the relevant planning approvals still valid (that is, not expired)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
7.7	Has the proposal obtained all other necessary statutory approvals (not including any other DWER approvals identified in Part 6 of this application)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
If no, please provide details of approvals already obtained, outstanding approvals, and expected dates for obtaining these outstanding approvals:					
Awaiting assessment by DoH					
		N/A	No	Yes	
7.8	Has consultation been undertaken with parties considered to have a direct interest in the proposal (that is, interested parties or persons who are considered to be directly affected by the proposal)? DWER will give consideration to submissions from interested parties or persons in accordance with the <a href="#">Guideline: Industry Regulation Guide to Licensing</a> .	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Attachments			N/A	Yes	
7.9	Attachment 5: Other approvals and consultation documentation	Details of other approvals specified in Part 7 of this application, including copies of relevant decisions and any consultation undertaken with direct interest stakeholders have been provided and labelled Attachment 5.		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Part 8: Applicant history				
<b>Note:</b>				
<ul style="list-style-type: none"> <li>DWER will undertake an internal due diligence of the applicant's fitness and competency based on DWER's compliance records and the responses to Part 8 of the form.</li> <li>If you wish to provide additional information for DWER to consider in making this assessment, you may provide that information as a separate attachment (see Part 11).</li> </ul>				
		N/A	No	Yes
8.1	If the applicant is an individual, has the applicant previously held, or do they currently hold, a licence or works approval under Part V of the EP Act?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.2	If the applicant is a corporation, has any director of that corporation previously held, or do they currently hold, a licence or works approval under Part V of the EP Act?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8.3	If yes to 8.1 or 8.2 above, specify the name of company and/or licence or works approval number:			
Resource Accommodation Management Pty Ltd, W6582/2021/1				
8.4	If the applicant is an individual, has the applicant ever been convicted, or paid a penalty, for an offence under a provision of the EP Act, its subsidiary legislation, or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.5	If the applicant is a corporation, has any director of that corporation ever been convicted, or paid a penalty, for an offence under a provision of the EP Act, its subsidiary legislation, or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.6	If the applicant is a corporation, has any person concerned in the management of the corporation, as referred to in s.118 of the EP Act, ever been convicted of, or paid a penalty, for an offence under a provision of the EP Act, its subsidiary legislation, or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.7	If the applicant is a corporation, has any director of that corporation ever been a director of another corporation that has been convicted, or paid a penalty, for an offence under a provision of the EP Act, its subsidiary legislation, or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Part 8: Applicant history				
8.8	With regards to the questions posed in 8.4 to 8.7 above, have any legal proceedings been commenced, whether convicted or not, against the applicant for an offence under a provision of the EP Act, its subsidiary legislation, or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.9	Has the applicant had a licence or other authority suspended or revoked due to a breach of conditions or an offence under the EP Act or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.10	If the applicant is a corporation, has any director of that corporation ever had a licence or other authority suspended or revoked due to a breach of conditions or an offence under the EP Act or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.11	If the applicant is a corporation, has any director of that corporation ever been a director of another corporation that has ever had a licence or other authorisation suspended or revoked due to a breach of conditions or an offence under the EP Act or similar environmental protection or health-related legislation in Western Australia or elsewhere in Australia?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8.12	If yes to any of 8.4 to 8.11 above, you must provide details of any charges, convictions, penalties paid for an offence, and/or licences or other authorisations suspended or revoked:			

Part 9: Emissions, discharges, and waste		
<b>INSTRUCTIONS:</b>		
<ul style="list-style-type: none"> <li>Please see <a href="#">Guideline: Risk Assessments</a> and provide all information relating to emission sources, pathways and receptors relevant to the application.</li> <li>You must provide details on sources of emissions (for example, kiln stack, baghouses or discharge pipelines) including fugitive emissions (for example, noise, dust or odour), types of emissions (physical, chemical, or biological), and volumes, concentrations and durations of emissions.</li> <li>The potential for emissions should be considered for all stages of the proposal (where relevant), including during construction, commissioning and operation of the premises.</li> </ul>		
		No      Yes
9.1	Are there potential emissions or discharges arising from the proposed activities?	<input type="checkbox"/> <input checked="" type="checkbox"/>
If yes, identify all potential emissions and discharges arising from the proposed activities and complete Table 9.1: Emissions and discharges (below).		



**Part 9: Emissions, discharges, and waste**

Details of any pollution control equipment or waste treatment system, including any control mechanisms used to ensure proper operation of this equipment, must be included in the proposed controls column of the 'Emissions and discharges table' below. Details of management measures employed to control emissions should also be included. Please provide / attach any relevant documents (e.g. management plans, etc.).

Additional rows may be added as required and/or further information may be included as an attachment (see Section 9.3).

**Table 9.1: Emissions and discharges**

	Source of emission or discharge	Emission or discharge type	Volume and frequency	Proposed controls (include in Attachment 6A if extensive or complex)	Location (on site layout plan – see 3.4)
1.	MBR Treated Effluent – normal operation	Wastewater discharges: Treated wastewater discharge (for reuse)	Up to 75,000 L/day, 7 days/week	UV disinfection, chlorine residual control, Class A recycled water standards, 250 kL emergency storage	Standpipe truck-loading point (BL-13)
2.	Spray Irrigation Field (contingency only)	Wastewater discharges: Treated effluent applied to land	Up to 58,800 L/day during contingency only	PLC-controlled zones, 14,700 m <sup>2</sup> irrigation area, wobble sprinklers, DLR 4 mm/day	Spray Field Layout – Alumarine field map
3.	Biological treatment (aeration, anoxic, MBR tanks)	Odour (H <sub>2</sub> S)	Low intensity, continuous potential	Covered tanks, aeration control, sludge age management, process optimisation	Process tank area – GA plan
4.	Blowers, pumps, truck loading	Noise	Continuous low-level noise; intermittent truck noise	Compliance with Noise Regulations, daytime truck ops	Plantroom container & truck bay (BL-13)
5.	Site lighting	Light spill	Intermittent (night operations)	Sensor lighting, AS/NZS 1680 compliance	WWTP compound boundary
6.	Stormwater runoff from bunded areas	Potentially contaminated stormwater	Rainfall dependent	Bunded chemical storage, controlled drainage, no uncontrolled discharge	Chemical storage pad
7.	Sludge handling (WAS tank)	Potential seepage, odour	Periodic sludge removal	Closed tank, overflow return system, licensed contractor removal	Sludge Tank (TK-102)
8.	Screenings removal	Odour, minor emissions	Low volume	Screenings sealed in bin, taken offsite	Screen unit (SCR-101)
9.	Wastewater treatment plant construction and earthworks	Dust	Low volume	Short-duration, temporary activities. Water will be available on-site for dust suppression and use if required.	New WWTP area
10.	Wastewater treatment plant construction	Noise and vibration	Minimal	Short-duration, temporary activities. Noise is not expected to have any significant impact on surrounding industrial or residential areas. No specific controls proposed or expected to be required.	New WWTP area

Part 9: Emissions, discharges, and waste																																																			
9.2		<b>Waste-related activities at the premises<sup>2</sup></b>																																																	
		Answer "yes" or "no" for the following questions and complete Table 9.2 (below).																																																	
(a)	Is waste accepted at the premises?	<input checked="" type="checkbox"/>	<input type="checkbox"/>																																																
(b)	Is waste produced on the premises?	<input type="checkbox"/>	<input checked="" type="checkbox"/>																																																
(c)	Is waste processed on the premises?	<input type="checkbox"/>	<input checked="" type="checkbox"/>																																																
(d)	Is waste stored on the premises?	<input type="checkbox"/>	<input checked="" type="checkbox"/>																																																
(e)	Is waste buried on the premises?	<input checked="" type="checkbox"/>	<input type="checkbox"/>																																																
(f)	Is waste recycled on the premises?	<input type="checkbox"/>	<input checked="" type="checkbox"/>																																																
(g)	Is any of the waste listed in Table 9.2 (below) also considered a 'dangerous good' for the purposes of the Dangerous Goods Safety (Storage and Handling of Non-Explosives) Regulations 2007? <sup>3</sup>	<input checked="" type="checkbox"/>	<input type="checkbox"/>																																																
	Specify, if yes:																																																		
<p><sup>2</sup> Copies / details of any other relevant approvals (e.g. from the Department of Health) must be provided where applicable.</p> <p><sup>3</sup> Wastes derived from the storage, handling, and use of dangerous goods may be considered hazardous and may need to be handled with the same precautions. Please refer to the Department of Mines, Industry Regulation and Safety's <a href="#">Dangerous Goods Safety information sheet</a> for more information.</p> <p>Solid waste types must be described with reference to <i>Landfill Waste Classification and Waste Definitions 1996</i> (as amended from time to time) and the Environmental Protection (Controlled Waste) Regulations 2004 (Controlled Waste Regulations).</p> <p>Liquid waste types must be described with reference to the Controlled Waste Regulations.</p> <p>For further guidance on the definition of waste, refer to <a href="#">Fact Sheet: Assessing whether material is waste</a>.</p>																																																			
<p>Detail must be provided on storage type (for example, hardstand and containment infrastructure), capacity, likely storage volumes, and containment features (for example, lining and bunding).</p> <p>Additional rows may be added as required and/or further information may be included as an attachment (see Section 9.4).</p>																																																			
<p><b>Table 9.2 Waste types</b></p> <table border="1"> <thead> <tr> <th></th> <th>Waste type</th> <th>Quantity (e.g. tonnes, litres, cubic metres)</th> <th>Waste activity infrastructure (including specifications)</th> <th>Monitoring (if applicable)</th> <th>Location (on site layout plan – see 3.4)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Waste Activated Sludge (WAS)</td> <td>Approx. 1–2 m<sup>3</sup>/week</td> <td>13.5 kL Sludge Storage Tank (TK-102); supernatant return; contractor removal</td> <td>MLSS monitoring; sludge interface sampling</td> <td>Sludge Tank TK-102</td> </tr> <tr> <td>2.</td> <td>Screenings (solids)</td> <td>Approx. 240 L bin per week</td> <td>Influent screen SCR-101; sealed bin; offsite disposal</td> <td>Visual inspection</td> <td>Screening Unit SCR-101</td> </tr> <tr> <td>3.</td> <td>Grit / settleable solids</td> <td>Negligible</td> <td>Pump Station TK-101; manual cleanout</td> <td>Visual inspection</td> <td>Pump Station TK-101</td> </tr> <tr> <td>4.</td> <td>Chemical containers / residues</td> <td>200 L tanks used monthly–quarterly</td> <td>Self-bunded chemical dosing tanks (pH, coagulant, chlorine)</td> <td>Dosing records; bund inspections</td> <td>Chemical Dosing Area</td> </tr> <tr> <td>5.</td> <td>CIP waste / analyser cleaning flows</td> <td>Intermittent; returned to process</td> <td>400 L CIP tank; analyser lines return to MBR</td> <td>TMP, turbidity, chlorine monitoring</td> <td>MBR Tank &amp; CIP Tank</td> </tr> <tr> <td>6.</td> <td>Emergency overflow (treated effluent)</td> <td>Up to 250 kL stored</td> <td>Emergency TE storage tanks (3 × 50 kL + TE tanks)</td> <td>Level sensors; flow meters</td> <td>Emergency Storage Area</td> </tr> <tr> <td>7.</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>					Waste type	Quantity (e.g. tonnes, litres, cubic metres)	Waste activity infrastructure (including specifications)	Monitoring (if applicable)	Location (on site layout plan – see 3.4)	1.	Waste Activated Sludge (WAS)	Approx. 1–2 m <sup>3</sup> /week	13.5 kL Sludge Storage Tank (TK-102); supernatant return; contractor removal	MLSS monitoring; sludge interface sampling	Sludge Tank TK-102	2.	Screenings (solids)	Approx. 240 L bin per week	Influent screen SCR-101; sealed bin; offsite disposal	Visual inspection	Screening Unit SCR-101	3.	Grit / settleable solids	Negligible	Pump Station TK-101; manual cleanout	Visual inspection	Pump Station TK-101	4.	Chemical containers / residues	200 L tanks used monthly–quarterly	Self-bunded chemical dosing tanks (pH, coagulant, chlorine)	Dosing records; bund inspections	Chemical Dosing Area	5.	CIP waste / analyser cleaning flows	Intermittent; returned to process	400 L CIP tank; analyser lines return to MBR	TMP, turbidity, chlorine monitoring	MBR Tank & CIP Tank	6.	Emergency overflow (treated effluent)	Up to 250 kL stored	Emergency TE storage tanks (3 × 50 kL + TE tanks)	Level sensors; flow meters	Emergency Storage Area	7.					
	Waste type	Quantity (e.g. tonnes, litres, cubic metres)	Waste activity infrastructure (including specifications)	Monitoring (if applicable)	Location (on site layout plan – see 3.4)																																														
1.	Waste Activated Sludge (WAS)	Approx. 1–2 m <sup>3</sup> /week	13.5 kL Sludge Storage Tank (TK-102); supernatant return; contractor removal	MLSS monitoring; sludge interface sampling	Sludge Tank TK-102																																														
2.	Screenings (solids)	Approx. 240 L bin per week	Influent screen SCR-101; sealed bin; offsite disposal	Visual inspection	Screening Unit SCR-101																																														
3.	Grit / settleable solids	Negligible	Pump Station TK-101; manual cleanout	Visual inspection	Pump Station TK-101																																														
4.	Chemical containers / residues	200 L tanks used monthly–quarterly	Self-bunded chemical dosing tanks (pH, coagulant, chlorine)	Dosing records; bund inspections	Chemical Dosing Area																																														
5.	CIP waste / analyser cleaning flows	Intermittent; returned to process	400 L CIP tank; analyser lines return to MBR	TMP, turbidity, chlorine monitoring	MBR Tank & CIP Tank																																														
6.	Emergency overflow (treated effluent)	Up to 250 kL stored	Emergency TE storage tanks (3 × 50 kL + TE tanks)	Level sensors; flow meters	Emergency Storage Area																																														
7.																																																			

Part 9: Emissions, discharges, and waste				
Attachments			N/A	Yes
9.3	<b>Attachment 6A: Emissions and discharges</b> (if required)	If required, further information for Section 9.1 has been included as an attachment labelled Attachment 6A.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
9.4	<b>Attachment 6B: Waste acceptance</b> (if required)	If required, further information for Section 9.2 has been included as an attachment labelled Attachment 6B.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Part 10: Siting and location				
10.1	<b>Sensitive land uses</b> What is/are the distance(s) to the nearest sensitive land use(s)? A sensitive land use is a residence or other land use which may be affected by an emission or discharge associated with the proposed activities.	Residences >150 m away from wastewater treatment plant infrastructure		
10.2	<b>Nearby environmentally sensitive receptors and aspects</b> Identify in Table 10.2 (below): <ul style="list-style-type: none"> <li>all instances of environmentally sensitive receptors that are known or suspected to be present within, or within close proximity to, the proposed prescribed premises boundary;</li> <li>the nature of the sensitive receptors (e.g. type of Threatened Ecological Community, species or threatened flora or fauna, etc.);</li> <li>their actual or approximate known distance and direction from the premises boundary (at the closest point/s); and</li> <li>if applicable, what measures have been or will be taken to ensure that sensitive receptors are not adversely impacted by any emissions or discharges from the premises.</li> </ul> Refer to the <a href="#">Guideline: Environmental siting</a> for further guidance.			
<b>Table 10.2: Nearby environmentally sensitive receptors and aspects</b>				
Type / classification	Description	Distance + direction to premises boundary	Proposed controls to prevent or mitigate adverse impacts (If applicable)	
Environmentally Sensitive Areas 1	No ESAs present; site is previously cleared and developed.	None present	General containment measures maintained.	
Threatened Ecological Communities	No TECs identified; no native vegetation present.	None present	Not required.	
Threatened and/or priority fauna	No fauna habitat; site cleared and compacted.	None present	Odour, lighting, and noise minimisation controls.	
Threatened and/or priority flora	No threatened flora identified.	None present	Not required.	
Aboriginal and other heritage sites 2	No heritage sites identified within premises boundary.	None identified	Standard disturbance protocols apply.	
Public drinking water source areas 3	Site not within any PDWSA; no groundwater encountered in test pits.	None present	Containment, bunding, emergency storage.	
Rivers, lakes, oceans, and other bodies of surface water, etc.	No natural water bodies nearby; historic effluent pond to south.	<50 m south to old pond; no natural waterways	Controlled drainage; trucked effluent to mine; spray field contingency only.	
Acid sulfate soils	No ASS indicators; sandy/clayey profile; GNE in test pits.	None identified	Not required.	

Part 10: Siting and location				
	Other	Accommodation units onsite (<50 m); residences on Richardson St (~150 m).	<50 m internal receptors; ~150 m to residences	Odour control; daytime trucking; lighting sensors; containment.
<p>1 Environmentally Sensitive Areas are as declared under the Environmental Protection (Environmentally Sensitive) Notice 2005. Refer to DWER's website ("Environmentally Sensitive Areas") for further information.</p> <p>2 Refer to the Department of Planning, Lands and Heritage website for further information about Aboriginal heritage and other heritage sites.</p> <p>3 Refer to Water Quality Protection Note No.25: Land use compatibility tables for public drinking water source areas for further information.</p>				
10.3	<p><b>Environmental siting context details</b></p> <p>Provide further information including details on topography, climate, geology, soil type, hydrology, and hydrogeology at the premises.</p>			

**Topography**

The premises lies within a gently undulating landform typical of the Norseman region. The proposed WWTP site (Lot 874) is a previously cleared and levelled pad, compacted using earthmoving equipment. Galt Geotechnics confirmed that the area is flat to slightly sloping, with no significant natural depressions or raised features within the treatment plant footprint.

There are no natural surface water channels or drainage lines crossing the site.

**Climate**

The Norseman region experiences a semi-arid climate, with hot, dry summers and cool winters. Rainfall is low and variable, occurring mostly during winter. Evaporation rates exceed rainfall for most of the year, making the climate suitable for wastewater treatment and for contingency spray-field use. (General climatic context is consistent with site design considerations in the spray field documentation.)

**Geology**

Site investigations show the subsurface consists of:

- **Clayey sand,**
- **Sandy clay, and**
- **Gravelly clayey sands** in some locations, overlying weathered material.

These units reflect shallow residual soils over metamorphic basement typical of the Norseman district. Laboratory tests confirmed sandy/clayey profiles with moderate fines content.

**Soil Type**

Galt Geotechnics classified site soils in accordance with AS/NZS 1547:

- Sandy clay / clayey sands (Soil Category 3–4),
- Silty sands at some locations (Category 3),
- No expansive clays or problematic reactive soils.

Constant-head infiltration testing reported hydraulic conductivity values between 0.04 and 1.60 m/day, demonstrating adequate infiltration characteristics for the contingency spray field and confirming site suitability for effluent disposal.

The site was previously cleared of vegetation and the surface reworked and compacted. No native vegetation requiring classification was present.

**Hydrology (Surface Water)**

No natural surface water features exist within or immediately adjacent to Lot 874.

The only nearby water feature is a former effluent disposal pond located south of the site, no longer in active use.

There are no wetlands, creeks, rivers or lakes within the premises boundary, nor are there any mapped environmentally sensitive surface water receptors in proximity.

Stormwater across the WWTP area is managed by controlled drainage and bunding measures as described in the emissions control section.

**Hydrogeology (Groundwater)**

Groundwater was not encountered in any test pits or hand-auger bores excavated to depths between 0.25 m and 2.0 m (classified as GNE – Groundwater Not Encountered).

This indicates:

- **Deep groundwater table,**
- **Very low likelihood of interaction between treated effluent and groundwater,**
- **Low risk of groundwater contamination.**

The absence of shallow groundwater improves suitability for both wastewater treatment and contingency irrigation.

There are no **Public Drinking Water Source Areas** or groundwater protection zones affecting the premises.

**Land Use Setting**

The premises is located within a mixed-use zone comprising:

- **The accommodation village itself (internal sensitive receptor),**
- **Residential dwellings to the north along Richardson Street,**

Part 10: Siting and location				
<ul style="list-style-type: none"> <li>Cleared land and an old wastewater pond to the south.</li> </ul> <p>The site has long been used for wastewater and accommodation facilities and is not surrounded by ecologically sensitive vegetation or mapped conservation areas.</p> <p><b>Summary</b></p> <p>The siting context is suitable for the proposed WWTP and associated effluent reuse activities due to:</p> <ul style="list-style-type: none"> <li>Absence of environmental sensitivities,</li> <li>No shallow groundwater,</li> <li>No surface waters or ESAs,</li> <li>Appropriate soil infiltration characteristics,</li> <li>Low topographic risk,</li> <li>Compatible surrounding land uses.</li> </ul> <p>These characteristics support a <b>low environmental risk profile</b> for the premises when combined with the engineered containment and operational controls set out in the MAK6129 design.</p>				
Attachments			N/A	Yes
10.4	<b>Attachment 7: Siting and location</b>	You must provide details and a map describing the siting and location of the premises, including identification of distances to sensitive land uses and/or any specified ecosystems.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Part 11: Submission of any other relevant information				
Attachments			No	Yes
11.1	<b>Attachment 8: Additional information submitted</b>	Applicants seeking to submit further information may include information labelled Attachment 8. If submitting multiple additional attachments, label them 8A, 8B, etc.  Where additional documentation is submitted, please specify the name of documents below.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
List title of additional document(s) attached:		Application to Construct or Install an Apparatus for the Treatment of Sewage		

Part 12: Category checklist(s)				
Attachments			N/A	Yes
12.1	<b>Attachment 9: Category checklist(s)</b>	DWER has developed category checklists to assist applicants with preparing their application. These checklists are available on <a href="#">DWER's website</a> . The relevant category-specific checklist(s) must be completed and included with the application, labelled as Attachment 9. If attaching multiple category checklists, label them 9A, 9B, etc. Do not select "N/A" unless: <ul style="list-style-type: none"> <li>a relevant category checklist is not yet published on DWER's website, or</li> <li>the application is for an amendment that does not propose changes to the method of operation, or change the inputs, outputs, infrastructure, equipment, emissions, or discharges of / from the premises.</li> </ul> Note that that a category checklist(s) may still be required for renewal applications. You will be advised in your renewal notification letter (sent approximately twelve months before the licence expiry date) if you are required to provide the information identified in a category checklist. Where a category checklist is submitted, please specify which checklist(s) in the space below.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
List title(s) of category checklists attached:				



Part 13: Proposed fee calculation	
<b>INSTRUCTIONS:</b>	
Different fee units apply for different fee components. Fee units may also have different amounts depending on the period in which the calculation is made. Once DWER has confirmed that the application submitted meets the relevant requirements of the EP Act, you will be issued an invoice with instructions for paying your application fee. Further information on fees can be found in the <a href="#">Fact Sheet: Industry Regulation fees</a> , and on <a href="#">DWER's website</a> .	
13.1 Only the relevant fee calculations are to be completed as follows: <i>[mark the box to indicate section s completed]</i>	<input checked="" type="checkbox"/> Section 13.3 for works approval applications <input type="checkbox"/> Section 13.4 for licence / renewal applications <input type="checkbox"/> Section 13.5 for registration applications <input type="checkbox"/> Section 13.6 for amendment applications <input type="checkbox"/> Section 13.7 for applications requiring clearing of native vegetation
13.2 All information and data used for the calculation of proposed fees has been provided in accordance with Section 13.8.	<input checked="" type="checkbox"/>
<b>13.3 Proposed works approval fee</b>	
Proposed works approval fee (see Schedule 3 of the EP Regulations) Fees relate to the cost of the works, including all capital costs (inclusive of GST) associated with the construction and establishment of the works proposed under the works approval application. This includes, for example, costs associated with earth works, hard stands, drainage, plant hire, equipment, processing plant, relocation of equipment and labour hire. Costs exclude: - the cost of land - the cost of buildings to be used for purposes unrelated to the purposes in respect of which the premises are, or will become, prescribed premises - costs for buildings unrelated to the prescribed premises activity or activities - consultancy fees relating to the works.	
<b>Fee component</b>	<b>Proposed fee</b>
Cost of works: \$500,000	\$ 125

13.4 Proposed licence fee (new licences and licence renewals)		
<b>Detailed licence fee calculations</b>		
<p><b>Part 1 Premises component</b> (see r.5D and Part 1 of Schedule 4 of the EP Regulations)</p> <p>The production or design capacity should be the maximum capacity of the premises. For most categories, the production or design capacity refers to an annual rate. The figure should be based on 24 hour operation for 365 days, unless there is another regulatory approval or technical reason that restricts operation.</p> <p>The premises component fee applies to the category in Part 1, Schedule 4 incurring the higher or highest amount of fee units in accordance with r.5D(2) of the EP Regulations.</p> <p>List all categories (insert additional rows as required). Use only the higher or highest amount of fee units to determine the Part 1 fee component.</p>		
Category	Production or design capacity	Fee units
Using the higher or highest amount of fee units, Part 1 component subtotal		\$
<p><b>Part 2 Waste</b> (see r.5D(1a)(b) and Part 2 of Schedule 4 of the EP Regulations)</p> <p>If your premises includes one or more of the following categories specify any applicable Part 2 waste amounts. Do not include Part 3 waste components of these discharges in the below calculations.</p> <p>Categories: 5, 6, 7, 8, 9, 12, 14, 44, 46, 53, 54A, 70, 80, or 85B</p> <p><b>Part 2 waste means waste consisting of –</b></p> <ul style="list-style-type: none"> <li>(a) tailings; or</li> <li>(b) bitterns; or</li> <li>(c) water to allow mining of ore; or</li> <li>(d) flyash; or</li> <li>(e) waste water from a desalination plant.</li> </ul> <p>If the premises does not fall into one of the categories listed above, or there are no applicable Part 2 waste amounts, the sub total for this section will be \$0.</p> <p>Insert additional rows as required. Sum all Part 2 waste fees to determine the sub total.</p>		
Discharge quantity (tonnes/year)	Fee units	
Part 2 component subtotal		\$
<p><b>Part 3 Waste – Discharges to air, onto land, into waters</b> (see Part 3 of Schedule 4 of the EP Regulations)</p> <p>Choose the appropriate location of the discharge and enter the discharge amount(s) in the units specified in the EP Regulations. This should be the amount of waste expected to be discharged over the next 12 months, expressed in the units and averaging period applicable for that waste kind (for example, g/minute or kg/day). Amounts can be measured, calculated, or estimated and can be based on data acquired over the previous 12 months, but should be based on the maximum premises capacity and not the forecast operating hours.</p> <p>Where there are discharges, all prescribed waste types must be considered in the fee calculation. If a specified waste type is not present in the discharge, this must be justified using an appropriate emission estimation technique (for example, sampling data, industry sector guidance notes, National Pollution Inventory guides and emission factors).</p>		

Discharges to air			
Discharges to air	Discharge rate (g/min)	Discharges to air	Discharge rate (g/min)
Carbon monoxide		Nickel	
Oxides of nitrogen		Vanadium	
Sulphur oxides		Zinc	
Particulates (Total PM)		Vinyl chloride	
Volatile organic compounds		Hydrogen sulphide	
Inorganic fluoride		Benzene	
Pesticides		Carbon oxysulphide	
Aluminium		Carbon disulphide	
Arsenic		Acrylates	
Chromium		Beryllium	
Cobalt		Cadmium	
Copper		Mercury	
Lead		TDI (toluene-2, 4-di-iso-cyanate)	
Manganese		MDI (diphenyl-methane di-iso-cyanate)	
Molybdenum		Other waste	
Part 3 component subtotal		\$	
Discharges onto land or into waters			Discharge rate
1. Liquid waste that can potentially deprive receiving waters of oxygen (for each kilogram discharged per day) —	(a) biochemical oxygen demand (in the absence of chemical oxygen demand limit)		
	(b) chemical oxygen demand (in the absence of total organic carbon limit)		
	(c) total organic carbon		
2. Bio-stimulants (for each kilogram discharged per day) —	(a) phosphorus		
	(b) total nitrogen		
3. Liquid waste that physically alters the characteristics of naturally occurring waters —	(a) total suspended solids (for each kilogram discharged per day)		
	(b) surfactants (for each kilogram discharged per day)		
	(c) colour alteration (for each platinum cobalt unit of colour above the ambient colour of the waters in each megalitre discharged per day)		
	(d) temperature alteration (for each 1°C above the ambient temperature of the waters in each megalitre discharged per day) — (i) in the sea south of the Tropic of Capricorn (ii) in other waters		

4. Waste that can potentially accumulate in the environment or living tissue (for each kilogram discharged per day) —	(a) aluminium	
	(b) arsenic	
	(c) cadmium	
	(d) chromium	
	(e) cobalt	
	(f) copper	
	(g) lead	
	(h) mercury	
	(i) molybdenum	
	(j) nickel	
	(k) vanadium	
	(l) zinc	
	(m) pesticides	
	(n) fish tainting wastes	
(o) manganese		
5. <i>E. coli</i> bacteria as indicator species (in each megalitre discharged per day) —	(a) 1,000 to 5,000 organisms per 100 ml	
	(b) 5,000 to 20,000 organisms per 100 ml	
	(c) more than 20,000 organisms per 100 ml	
6. Other waste (per kilogram discharged per day) —	(a) oil and grease	
	(b) total dissolved solids	
	(c) fluoride	
	(d) iron	
	(e) total residual chlorine	
	(f) other	
Part 3 component subtotal		\$
<b>Summary – Proposed licence fee</b>		
Part 1 Component		
Part 2 Component		
Part 3 Component		
Total proposed licence fees:		\$
<b>13.5 Prescribed fee for registration</b>		
A fee of 24 units applies for an application for registration of premises, unless the occupier of the premises holds a licence in respect of the premises, in accordance with r.5B(2)(c) of the EP Regulations.		<input checked="" type="checkbox"/> (Tick to acknowledge)

<b>13.6 Amendment fee (works approval or licence)</b>		
The fee prescribed for an application for an amendment to a works approval or licence is calculated in accordance with r.5BB(1)(a) of the EP Regulations:		
<ul style="list-style-type: none"> <li>for a single category of prescribed premises to which the works approval or licence relates, by using the fee unit number corresponding to the prescribed premises category and relevant design capacity threshold in Schedule 4 Part 1 of the EP Regulations.</li> <li>for multiple categories of prescribed premises to which the works approval or licence relates, by using the highest fee unit number corresponding to the prescribed premises categories and design capacity threshold in Schedule 4 Part 1 of the EP Regulations.</li> </ul>		
Fee Units	Proposed fee	
	\$	
<b>13.7 Prescribed fee for clearing permit</b>		
In accordance with the <a href="#">Guideline: Industry Regulation Guide to Licensing</a> and <a href="#">Procedure: Native vegetation clearing permits</a> , where approval to clear native vegetation is sought as part of an application for a works approval or licence, DWER may elect to either jointly or separately determine the clearing component of the application. Where DWER separately determines the clearing component of an application, the application will be deemed to be an application for a clearing permit under s.51E of the EP Act and processed accordingly. Note: If a clearing permit application has been separately submitted and accepted by DWER, a refund for the clearing permit application will not be provided where DWER determines to address clearing requirements as part of a related works approval application.		<input checked="" type="checkbox"/> (Tick to acknowledge)
<b>13.8 Information and data used to calculate proposed fees</b>		
The detailed calculations of fee components, including all information and data used for the calculations are to be provided as attachments to this application, labelled as <b>Attachment 10</b> , with an appropriate suffix (for example 10A, 10B etc.). Please specify the relevant attachment number in the space/s provided below.		
Proposed fee for works approval	Attachment No.	
Details for cost of works		
Proposed fee for licence	Attachment No.	
Part 1: Premises		
Part 2: Waste types		
Part 3: Discharges to air, onto land, into waters		
<b>Part 14: Commercially sensitive or confidential information</b>		
<b>NOTE:</b> Information submitted as part of this application will be made publicly available. If you wish to submit commercially sensitive or confidential information, please identify the information in Attachment 11, and include a written statement of reasons why you request each item of information be kept confidential. Information submitted later in the application process may also be made publicly available at DWER's discretion. For any commercially sensitive or confidential information, please follow the same process as described above. DWER will take reasonable steps to protect genuinely confidential or commercially sensitive information. However, please note that DWER cannot commit to redacting all personal information from all supporting documents. You are advised to ensure that all personal information, including signatures, are removed from supporting documents prior to submitting them to the department. Please note that all submitted information may be the subject of an application for release under the <i>Freedom of Information Act 1992</i> .		
All information which you would propose to be exempt from public disclosure has been separately placed in a redacted version of the application form and its supporting documentation. Note that this is in addition to the unredacted version(s) provided to DWER for its assessment. Grounds for claiming exemption in accordance with Schedule 1 to the <i>Freedom of Information Act 1992</i> must be specified in <b>Attachment 11</b> (located at the end of this form).	Attached  <input type="checkbox"/>	N/A  <input checked="" type="checkbox"/>

<b>Part 15: Submission of application</b>	
<p><b><u>INSTRUCTIONS:</u></b>                      Check one of the boxes below to nominate how you will submit your application.  <b>Files larger than 50MB cannot be received via email by DWER. Files larger than 50MB can be sent via File Transfer. Alternatively, email DWER to make other arrangements.</b></p>	
<p>A full, signed, electronic copy of the application form including all attachments has been submitted via email to <a href="mailto:info@dwer.wa.gov.au">info@dwer.wa.gov.au</a>;  <b>OR</b></p>	<input checked="" type="checkbox"/>
<p>A signed, electronic copy of the application form has been submitted via email to <a href="mailto:info@dwer.wa.gov.au">info@dwer.wa.gov.au</a> and attachments have been submitted via File Transfer, or electronically by other means as arranged with DWER;  <b>OR</b></p>	<input type="checkbox"/>
<p>A full, signed hard copy has been sent to:                      APPLICATION SUBMISSIONS                      Department of Water and Environmental Regulation                      Locked Bag 10                      Joondalup DC WA 6919</p>	<input type="checkbox"/>

**Part 16: Declaration and signature**

**General**


I / We confirm and acknowledge that:

- the information contained in this application is true and correct;
- I / we have legal authority to sign on behalf of the applicant (where authorisation provided);
- I / we have not altered the requirements and instructions set out in this application form;
- I / we have provided a valid email address in Section 2.3 for receipt of correspondence electronically via email from DWER in relation to this application;
- that successful delivery to my / our server constitutes receipt of correspondence sent electronically via email from DWER in relation to this application; and
- I / we have provided a valid postal and/or business address in Section 2.4 for the service of all Part V documents.
- giving or causing to be given information that to my knowledge is false or misleading is an offence under s.112 of the EP Act and may incur a penalty of up to \$100,000.

**Publication**

I / We confirm and acknowledge:

- this application (including all attachments apart from the sections identified in Attachment 11) is a public document and may be published;
- marine surveys provided in accordance with Part 5 will be published and used, for the purposes of the IMSA project, in accordance with your declaration made in the *Metadata and Licensing Statement*;
- all necessary consents for the publication of information have been obtained from third parties;
- information considered exempt from public disclosure has been noted by redaction of a separately provided copy of the completed application form and its supporting documentation (in accordance with Part 14), with reasons as to why the information should be exempt in accordance with the grounds specified in Schedule 1 to the *Freedom of Information Act 1992 (WA)* being provided in Attachment 11;
- subsequent information provided in relation to this application will be a public document and may be published unless written notice has been given to DWER by the applicant, at the time the information is provided, claiming that the information is considered exempt from public disclosure; and
- the decision to not publish information will be at the discretion of the CEO of DWER and will be made consistently with the provisions of the *Freedom of Information Act 1992 (WA)*.



10 Apr 2026

Date

10 Apr 2026

Date

**NOTE:** This form may be signed:

- if the applicant is an individual, by the individual;
- if the applicant is a corporation, by:
  - the common seal being affixed in accordance with the *Corporations Act 2001 (Cth)*; or
  - two directors; or
  - a director and a company secretary; or

- if a proprietary company has a sole director who is also the sole company secretary, by that director; and
- by a person with legal authority to sign on behalf of the applicant.

**ATTACHMENT 11 – Confidential or commercially sensitive information**

<b>Request for exemption from publication</b>			
Information which you consider should not be published, on the grounds of a relevant exemption found in Schedule 1 to the <i>Freedom of Information Act 1992 (WA)</i> , must be specified in this Attachment. Add additional rows as required.			
<b>NOT FOR PUBLICATION IF GROUNDS FOR EXEMPTION ARE DETERMINED TO BE ACCEPTABLE</b>			
Section of this form:		Grounds for claiming exemption:	
Section of this form:		Grounds for claiming exemption:	
Section of this form:		Grounds for claiming exemption:	
 <hr/> <b>Full Name</b>  <hr/> <b>Signature</b> <span style="margin-left: 200px;"><hr/><b>Date</b></span>			