



Application for Works Approval Amendment

Part V Division 3 of the *Environmental Protection Act 1986*

Licence Number	L6271/1991/10
Licence Holder	Water Corporation
File Number	DWERVT16656/APP-0031015
Premises	Fitzroy Crossing Wastewater Treatment Plant Crown Reserve 40827 Lot 36 Great Northern Highway FITZROY CROSSING WA 6765 As defined by the premises maps attached to the Revised Licence
Date of Report	9 February 2026
Decision	Revised licence granted

Table of Contents

1. Decision summary	3
2. Scope of assessment	3
2.1 Regulatory framework	3
2.2 Application summary	3
3. Consultation	3
4. Conclusion	3
4.1 Summary of amendments	3
References	4

1. Decision summary

The Delegated Officer has determined to make amendments to licence L6271/1991/2. The amendments are administrative in nature therefore they do not alter the risk profile of the Premises, providing that activities, emissions and receptors as stated in existing approvals remain unchanged.

This Amendment Report documents the amendments made pursuant to section 59 and 59(B) of the *Environmental Protection Act 1986* (EP Act).

The decision report for the Existing works approval will remain on the department's website for future reference and will act as a record of the department's decision making.

2. Scope of assessment

2.1 Regulatory framework

In amending the works approval, the department has considered and given due regard to its Regulatory Framework and relevant policy documents which are available at <https://dwer.wa.gov.au/regulatory-documents>.

2.2 Application summary

Licence L6271/1991/10 is held by Water Corporation (Licence Holder) for the Fitzroy Crossing Wastewater Treatment Plant (WWTP) (the Premises).

The premises relates to the categories and assessed production capacity under Schedule 1 of the *Environmental Protection Regulations 1987* (EP Regulations) defined on the licence. The infrastructure and equipment relating to the premises category and any associated activities are outlined on the licence and are in line with *Guideline: Risk Assessments* (DWER 2020).

On 28 August 2025, the department initiated an amendment to Licence L6271/2011/2. The amendment is limited to:

- correcting typographical error in condition 2 and condition 20.

3. Consultation

The Licence Holder was provided with the draft Amendment Report and draft Licence on 03 September 2025. No comments were provided by the Licence Holder on the draft documents by the due date.

4. Conclusion

Based on the assessment in this Amendment Report, the Delegated Officer has determined that an amended works approval will be granted, subject to conditions commensurate with the determined controls and necessary for administration and reporting requirements.

4.1 Summary of amendments

Table 1 below provides a summary of the proposed amendments and will act as a record of implemented changes. All proposed changes have been incorporated into the Revised works approval as part of the amendment process.

Table 1: Summary of works approval amendments

Condition no.	Proposed amendments
2	Corrected formatting and typographical error, licence condition amended.
20	Corrected formatting and typographical error, licence condition amended.

References

1. Department of Environment Regulation (DER) 2015, Guidance Statement: Setting Conditions, Perth, Western Australia.
2. Department of Water and Environmental Regulation (DWER) 2020, Guideline: Environmental Siting, Perth, Western Australia.
3. DWER 2020, Guideline: Risk Assessments, Perth, Western Australia.
4. Email titled "RE: Licence L6271/1991/10 - DECISION TO GRANT- REQUEST FOR MINOR CORRECTIONS", EMAIL dated 28/08/2025.