Annual Audit Compliance Report Form

Environmental Protection Act 1986, Part V Division 3

Once completed, please submit this form either via email to info-der@dwer.wa.gov.au, or to the below postal address:

Department of Water and Environmental Regulation Locked Bag 10 Joondalup DC WA 6919

Section A – License Details				
License number:	L6267/199110	License file number:	DER2013/007602	
License holder:	Water Corporation			
Trading as:	Derby Water Resource Recovery Facility			
ABN:	28 003 434 917			
Registered address:	629 Newcastle Street, LEEDERVILLE, WA 6007			
Reporting period:	01/07/2023 to 30/06/2024			

Section B – Statement of Compliance with License Conditions

Did you comply with all your license conditions during the reporting period? (Please tick the appropriate box)

- ☐ Yes please complete:
 - section C.
 - section D if required; and
 - sign the declaration in Section F.
- ☑ No please complete:
 - section C.
 - section D if required.
 - section E; and
 - sign the declaration at Section F.

Section C - Statement of Actual Production

Provide the actual production quantity for this reporting period. Supporting documentation is to be attached.

Prescribed Premises Category	Actual Production Quantity	
54	1,059 m³/day	
61	960 tonnes p/a	

Section D - Statement of Actual Part 2 Waste Discharge Quantity

Provide the actual Part 2 waste discharge quantity for this reporting period. Supporting documentation is to be attached

documentation to be discover.				
Prescribed Premises Category	Actual Part 2 Waste Discharge Quantity			
Not Applicable				

Section E – Details of Non-Compliance with License Condition				
Please use a separate page for each condition with which the license holder was non-compliant at a time during the reporting period.				
Condition no:	2, Table 3, 2 (f)	Date(s) of non- compliance:	Anaerobic pond: 28/02/2024. Facultative Ponds: Previously reported in 2022 and 2023.	
Details of non-com	pliance:			
Floating debris in anaerobic pond and train A and B facultative ponds.				
What was the actua	al (or suspected) environmen	tal impact of the non-c	ompliance?	
NOTE – please attach maps or diagrams to provide insight into the precise location of where the non-compliance took place.				
No environmental i	mpact is currently detected.			
Cause (or suspected cause) of non-compliance:				
The anaerobic pond is newly constructed and has not been used for many septage receivals. Operations have advised it is not fit for purpose due to its inability to handle rag loading. As a result, Operations have stopped using the anaerobic pond for septage received and have reverted to using the train A facultative pond.				
The sludge build-up in the facultative ponds is the result of a lack of screening, high rag loading in the influent and lack of historical desludging.				
Action taken to mitigate any adverse effects of non-compliance and prevent recurrence of the non-compliance:				
The anaerobic pond deficiency is currently under review and the project team that installed it have been tasked with rectifying the issue. Train A will be used until this is resolved.				
Train B desludging has been completed recently. Train A desludging will be prioritized in the 2025/2026 financial year.				
Was this non-compliance previously reported to DWER?				
☐ Reported to	DWER verbally	Date: / /		
⊠ Reported to	DWER in writing	Date: 01/09/2022		

Department of Water and Environmental Regulation

Section F – Declaration				
I / We declare that the information in this Annual Audit Compliance Report is true and correct and is not false or misleading in a material particular ¹ .				
I / We consent to the Annual Audit Compliance Report being published on the Department of Water and Environmental Regulation's (DWER) website.				
Signature ² :		Signature:		
Name: (printed)		Name: (printed)		
Position:		Position:		
Date:	24/09/2024	Date:		
Seal (if signing under seal):				

¹ It is an offence under section 112 of the *Environmental Protection Act 1986* for a person to give information on this form that to their knowledge is false or misleading in a material.

² AACRs can only be signed by the licence holder or an authorised person with the legal authority to sign on behalf of the licence holder.