

Government of Western Australia Department of Water and Environmental Regulation

Annual Audit Compliance Report Form

sign the declaration at Section F.

Environmental Protection Act 1986, Part V

Section A – Licence Details			
Licence number:	L7309/1997/10	Licence file number:	2010/2601
Licence holder:	Water Corporation		
Trading as:	Nowergup Biosolids Facility		
ACN:	28 033 434 917		
Registered address:	629 Newcastle Street, LEEDERVILLE, WA 6007		
Reporting period:	01/07/2019 to 30/06/2020		

Section B – Statement of Compliance with Licence Conditions	
Did you comply with all of your licence conditions during the reporting period? (please tick the appropriate box)	
 Yes − please complete: section C; section D if required; and sign the declaration in Section F. 	
 No − please complete: section C; section D if required; section E; and 	

Section C – Statement of Actual Production Provide the actual production quantity for this reporting period. Supporting documentation is to be attached. Prescribed Premises Category Actual Production Quantity 62: Solid waste depot 10,622 tonnes

Section D – Statement of Actual Pa	rt 2 Waste Discharge Quantity	
Provide the actual Part 2 waste discharge documentation is to be attached.	e quantity for this reporting period. Supporting	
Prescribed Premises Category	Actual Part 2 Waste Discharge Quantity	

Section E – Details of Non-Compliance with Licence Condition				
Please use a separate page for each condition with which the licence holder was non-compliant at a time during the reporting period.				
Condition no:	W2(b)	Date(s) of non- compliance:	10/12/19 to 29/02/20	

Department of Water and Environmental Regulation

Section E – Details of Non-Compliance with Licence Condition				
Details of non-compliance:				
Biosolids cake was not stored in the bunded area as required under condition W2(b) of L7309/1997/10. This was identified during an inspection carried out on 09/12/2019. The biosolids cake was stored outside of the bunded area but within the compacted hardstand.				
What was the actual (or suspected) environment	al impact of the non-compliance?			
NOTE – please attach maps or diagrams to provide insight into the precise location of where the non-compliance took place.				
There was no impact to the environment as a result of biosolids being stored out of the				
 bunded area. No adverse impacts have been observed, with all groundwater monitoring remaining within the expected parameters. 				
Cause (or suspected cause) of non-compliance:				
This non-compliance is a result of a biosolids transport truck rollover, reported under section 72 to DWER, with transport of biosolids offsite being temporarily suspended during an investigation into the incident. The available bunded storage areas were not large enough to cater for the increased volume of biosolids cake being stored onsite during the suspension. The issue was exacerbated by increased production of biosolids from the Woodman Point Wastewater Treatment Plant (WWTP).				
Action taken to mitigate any adverse effects of non-compliance and prevent recurrence of the non-compliance:				
An number of actions were undertaken to prever incident:	nt adverse effects and a recurrence of this			
Until investigations into the rollover incident were complete the primary contractor				
 engaged additional contractors and opera Water Corporation changed the delivery 	ated 24/7 to reduce the stockpile. schedule to reduce transport times to increase			
the total amount removed from site per day.				
 The risk associated with the incident was mitigated by working closely with contractors to ensure storage times did not exceed 3 days. 				
 The transport operator was provided with specific details regarding site storage location requirements. 				
 Regular site visits by the Water Corporation to identify and mitigate any potential environmental impacts during this incident. 				
Was this non-compliance previously reported to DWER?				
⊠ Yes, and				
☐ Reported to DWER verbally	Date: / /			
□ Reported to DWER in writing	Date: 10 /12 /2019			

Department of Water and Environmental Regulation

Section F – Declaration

I / We declare that the information in this Annual Audit Compliance Report is true and correct and is not false or misleading in a material particular¹.

I / We consent to the Annual Audit Compliance Report being published on the Department of Water and Environmental Regulation's (DWER) website.

Signature ² :		Signature:	
Name: (printed)		Name: (printed)	
Position:	General Manager Operations	Position:	
Date:	07/08/2020	Date:	
Seal (if signing under seal):			

¹ It is an offence under section 112 of the *Environmental Protection Act 1986* for a person to give information on this form that to their knowledge is false or misleading in a material particular.

² AACRs can only be signed by the licence holder or an authorised person with the legal authority to sign on behalf of the licence holder.