Annual Audit Compliance Report Form

Environmental Protection Act 1986, Part V

Section A – Licence Details				
Licence number:	L7927/2003/4	Licence file number:	DER2013/001024	
Licence holder:	Water Corporation			
Trading as:	Coral Bay Wastewater Treatment Plant			
ABN:	28 003 434 917			
Registered address:	629 Newcastle Street, LEEDERVILLE, WA 6007			
Reporting period:	01 / 07 / 2023 to 30 / 06 / 2024			

Section B - Statement of Compliance with Licence Conditions

Did you comply with all of your licence conditions during the reporting period? (please tick the appropriate box)

☐Yes – please complete:

- section C;
- · section D if required; and
- · sign the declaration in Section F.

⊠No – please complete:

- section C;
- section D if required;
- section E; and
- sign the declaration at Section F.

Section C - Statement of Actual Production

Provide the actual production quantity for this reporting period. Supporting documentation is to be attached.

Prescribed Premises Category	Actual Production Quantity	
54	224 m³/day	

Section D - Statement of Actual Part 2 Waste Discharge Quantity

Provide the actual Part 2 waste discharge quantity for this reporting period. Supporting documentation is to be attached.

Prescribed Premises Category	Actual Part 2 Waste Discharge Quantity	
Not Applicable		

Section E – Details of Non-Compliance with Licence Condition				
Please use a separate page for each condition with which the licence holder was non-compliant at a time during the reporting period.				
Condition no:	1.3.5 (e)	Date(s) of non- compliance:	24/05/2023 & 22/05/2024	
Details of non-comp	oliance: (INC-069377_2023)			
Condition 1.3.5 The Licensee shall manage all wastewater treatment and evaporation ponds such that: (e) vegetation and floating debris (emergent or otherwise) is prevented from encroaching onto pond surfaces or inner pond embankments. During an internal audit it was determined that there was significant floating sludge in the Primary Pond.				
What was the actual (or suspected) environmental impact of the non-compliance? NOTE – please attach maps or diagrams to provide insight into the precise location of where the non-compliance took place.				
No environmental in	mpacts have been observed	or are suspected from	this non-compliance.	
The site has no disposal to the environment and is not in close proximity to sensitive odour receptors which would escalate the priority for desludging.				
Cause (or suspecte	ed cause) of non-compliance:			
It is known that this pond requires desludging due to high levels of sludge. Additionally, during winter the surface water temperature in the ponds is coolers than lower strata causing the ponds to 'turn' (colder surface water sinks and warmer pond water with sludge rise to the surface of the pond.				
Action taken to mitigate any adverse effects of non-compliance and prevent recurrence of the				
non-compliance: Primary pond is set to be desludged in FY24/25.				
Was this non-compliance previously reported to DWER?				
Reported to I	DWER verbally	Date: / /		
Reported to DWER in writing		Date: 01/10/2024		

Department of Water and Environmental Regulation

Section F - Declaration

I/We declare that the information in this Annual Audit Compliance Report is true and correct and is not false or misleading in a material particular ¹ . I/We consent to the Annual Audit Compliance Report being published on the Department of Water and Environmental Regulation's (DWER) website.				
Signature ² :		Signature:		
Name: (printed)		Name: (printed)		
Position:		Position:		
Date:	24/09/2024	Date:		
Seal (if signing under seal):				

¹ It is an offence under section 112 of the *Environmental Protection Act 1986* for a person to give information on this form that to their knowledge is false or misleading in a material particular.

² AACRs can only be signed by the licence holder or an authorised person with the legal authority to sign on behalf of the

licence holder.