### Department of Water and Environmental Regulation

# **Annual Audit Compliance Report Form**

Environmental Protection Act 1986, Part V Division 3

Once completed, please submit this form either via email to <a href="mailto:info@dwer.wa.gov.au">info@dwer.wa.gov.au</a>, or to the below postal address:

Department of Water and Environmental Regulation Locked Bag 10 Joondalup DC WA 6919

Section A – Licence details				
Licence number:	L7972/2004/4	Licence file number:		
Licence holder name:	Monument Murchison Pty Ltd			
Trading as:	Monument Murchison Pty Ltd			
ACN:	167 323 855			
Registered business address:	Level 2, 1 Walker Avenue, West Perth Western Australia WA 6005			
Reporting period:	1 / 9 / 2020 to 31 / 8 / 2021			

## Section B - Statement of compliance with licence conditions

Did you comply with all of your licence conditions during the reporting period? (please tick the appropriate box)

#### 

- section C;
- · section D (if required); and
- sign the declaration in Section F.

#### ☐ No – please complete:

- section C;
- section D (if required);
- section E; and
- sign the declaration in Section F.

#### Section C – Statement of actual production

Provide the actual production quantity for this reporting period. Supporting documentation is to be attached.

Prescribed premises category	Actual production quantity		
Category 5 – Processing or beneficiation of metallic or non-metallic ore – 750,000 tonnes per annual period.	0 tonnes		
Category 6 – Mine dewatering: premises on which water is extracted and discharged into the environment to allow mining of ore – 900,000 tonnes per annual period.	0 tonnes		
Category 7 – Vat or in situ leaching of metal: premises on which metal is extracted from ore with a chemical solution – 500,000 tonnes per annual period.	0 tonnes		

# Department of Water and Environmental Regulation

Section D - Sta	tement of actual P	Part 2 waste discharge વા	uantity
Provide the actua documentation is		rge quantity for this reporting	period. Supporting
Prescribed premises category		Actual Part 2 was	ste discharge quantity
Category 5,6,7		0	
Section E – Det	ails of non-compli	iance with licence condit	tion
Please use a sepa		ondition with which the licend	
Condition no:	3.3.2	Date(s) of non-compliance:	7/6/2021
Details of non-cor	mpliance:		
	rations exceeded the value of 2.1 mg/L.	licence limit (0.8 mg/L) at bo	re BU23 on 7 June 2021.
)	val (ar avanastad) an	viscomental impact of the no	n compliance?
	ach maps or diagrams to	vironmental impact of the no oprovide insight into the precise	
increase in WADO expected to contil The high reading the north northeas sink (pit depth is l	CN is likely caused by nue an upward traject is not expected to can st along the strike tow pelow surrounding gro	vility in WADCN concentration or a high rainfall event, WADC tory. Figure 1 illustrates the local use any offsite pollution. The wards Alliance/New Alliance poundwater level). At this poin ke where the concentration was sent to the concentration was a similar to the concentration was a similar was a similar to the concentration was a similar was	CN concentrations are not ocation of BU23.  groundwater flows slowly to oits, which is a groundwater it it is likely that groundwate.
Cause (or suspec	eted cause) of non-co	mpliance:	
BU23 is the most likely due to more the previous mon	water moving through	d variable bore. The surge in the bore after a significant	WADCN concentrations is rainfall event of 41.2 mL in
Action taken to m	itigate any adverse e	ffects of non-compliance and	prevent recurrence of the
Monitoring results reported in a time		on receipt to ensure exceeda	nces are investigated and
Was this non-con	npliance previously re	eported to DWER?	wijajan sahijug
Yes, and			

Date:

1 1

Date: 22 / 09 / 2021

☐ Reported to DWER verbally

Reported to DWER in writing

# Department of Water and Environmental Regulation

Section F – Declaration				
I / We declare that the information in this Annual Audit Compliance Report is true and correct and is not false or misleading in a material particular <sup>1</sup> .				
I / We consent to the Annual Audit Compliance Report being published on the Department of Water and Environmental Regulation's (DWER) website.				
Signature <sup>2</sup> :	Signature:			
Name: (printed)	Name: (printed)			
Position:	Position:			
Date: 31/10/2021	Date:			
Seal (if signing under seal):				

<sup>&</sup>lt;sup>1</sup> It is an offence under section 112 of the *Environmental Protection Act 1986* for a person to give information on this form that to their knowledge is false or misleading in a material particular.

<sup>&</sup>lt;sup>2</sup> AACRs can only be signed by the licence holder or an authorised person with the legal authority to sign on behalf of the licence holder.