

# Government of Western Australia Department of Water and Environmental Regulation

## Annual Audit Compliance Report Form

Environmental Protection Act 1986, Part V Division 3

Once completed, please submit this form either via email to <a href="mailto:info@dwer.wa.gov.au">info@dwer.wa.gov.au</a>, or to the below postal address:

Department of Water and Environmental Regulation Locked Bag 10 Joondalup DC WA 6919

Licence number:	L8759/2013/1	Licence file number:	DER2013/003217			
Licence holder name:	Chevron Australia Pty Ltd					
Trading as:	Chevron Australia Pty Ltd					
ACN:	086 197 757					
Registered business address:	250 St Georges Te PERTH WA 6000					
Reporting period:	01 / 07 / 2021	to 30 / 06 / 2022				

#### Section B - Statement of compliance with licence conditions

Did you comply with all of your licence conditions during the reporting period? (please tick the appropriate box)

- ☐ Yes please complete:
  - section C;
  - · section D (if required); and
  - · sign the declaration in Section F.

#### No − please complete:

- section C;
- section D (if required);
- section E; and
- · sign the declaration in Section F.

#### Section C – Statement of actual production

Provide the actual production quantity for this reporting period. Supporting documentation is to be attached.

Prescribed premises category	Actual production quantity		
Category 57: Used tyre storage	0.371m³ (equivalent to 19 whole tyres)		
Category 61: Liquid waste facility	11,396 tonnes		
Category 61A: Solid waste facility	1,762 tonnes		

Section D - Stat	ement of actual Part 2 wa	ste disc	charge	quantity	
Provide the actual documentation is to	Part 2 waste discharge quant b be attached.	ty for thi	s repor	ing period. Supporting	
Prescribed premises category		Actual Part 2 waste discharge quantity			
NA		NA			
Section E – Deta	ails of non-compliance wi	th licen	ce cor	dition	
Please use a sepa at a time during the		vith whic	h the lic	ence holder was non-compliant	
Condition no:	1.3.3	Date(s) complia		09 May 2022	
Details of non-com	pliance:				
accepted in the rep	ater exceeded 5000 tonnes per porting period. Exceedance re nfirm limit exceedance.			on 31 May 2022 following initial	
What was the actu	al (or suspected) environmen	tal impac	t of the	non-compliance?	
NOTE – please attac	ch maps or diagrams to provide ince.	nsight into	the pre	cise location of where the non-	
	ed cause) of non-compliance:				
	ninated storm water volume du volume du volume due to turnaround acti			### (1) : 1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	
Action taken to mit non-compliance:	igate any adverse effects of n	on-comp	liance	and prevent recurrence of the	
There are no adve through the Waste facility or assessed Actions to prevent determine potentia	d via the works approval. recurrence have included a real opportunities for waste reduce mmenced to determine if an a	ect the e eview of ction A re	nvironn industri eview o	nental safeguards in place at the all wash water sources to	
Was this non-comp	pliance previously reported to	DWER?	X		
⊠ Yes, and					
☐ Reported to	DWER verbally	Date:	1 1		
⊠ Reported to	DWER in writing	Date:	31 / 0!	5 / 2022	

#### Department of Water and Environmental Regulation

### Section F - Declaration

I / We declare that the information in this Annual Audit Compliance Report is true and correct and is not false or misleading in a material particular<sup>1</sup>.

I / We consent to the Annual Audit Compliance Report being published on the Department of Water and Environmental Regulation's (DWER) website.

Signature²:		Signature:	
Name: (printed)		Name: (printed)	
Position:	Wheatstone Operations Manager	Position:	
Date:		Date:	
Seal (if signing under seal):			

<sup>&</sup>lt;sup>1</sup> It is an offence under section 112 of the *Environmental Protection Act 1986* for a person to give information on this form that to their knowledge is false or misleading in a material particular

<sup>&</sup>lt;sup>2</sup> AACRs can only be signed by the licence holder or an authorised person with the legal authority to sign on behalf of the licence holder