

Annual Audit Compliance Report Form

Environmental Protection Act 1986, Part V

Once completed, please submit this form either via email to info-der@dwer.wa.gov.au, or to the below postal address:

Department of Water and Environmental Regulation Locked Bag 33 Cloisters Square PERTH WA 6850

Section A – Licence Details			
Licence number:	L8845/2014/1	Licence file number:	2014/002065
Licence holder:	IB Operations Pty Ltd		
Trading as:	IB Operations Pty Ltd		
ACN:	165 513 557		
Registered address:	Level 2 Hyatt Centre 87 Adelaide Terrace EAST PERTH WA 6004		
Reporting period:	01/01/2018 to 3 ⁻²	1/12 /2018	

Section B – Statement of Compliance with Licence Conditions

Did you comply with all of your licence conditions during the reporting period? (please tick the appropriate box)

- ☐ Yes please complete:
 - section C;
 - · section D if required; and
 - sign the declaration in Section F.

√ No – please complete:

- section C;
- section D if required;
- section E; and
- sign the declaration at Section F.

Section C - Statement of Actual Production

Provide the actual production quantity for this reporting period. Supporting documentation is to be attached.

Prescribed Premises Category	Actual Production Quantity	
5 – Processing or beneficiation of metallic or non-metallic ore	79 t	
52 – Electric power generation	1.53 MWe	
54 – Sewage facility	N/A	

Department of Water and Environmental Regulation

Section D – Statement of Actual Part 2 Waste Discharge Quantity			
Provide the actual Part 2 waste discharge quantity for this reporting period. Supporting documentation is to be attached.			
Prescribed Premises Category	Actual Part 2 Waste Discharge Quantity		
5 – Processing or beneficiation of metallic or non-metallic ore	29 t		
52 – Electric power generation	N/A		
54 – Sewage facility	38.85 m³/day		

Section E – Details of Non-Compliance with Licence Condition				
Please use a separate page for each condition with which the licence holder was non-compliant at a time during the reporting period.				
Condition no:	3.3.1	Date(s) of non-compliance:	January 2018	
Details of non-comp	Details of non-compliance:			
Metals, electrical conductivity and total dissolved solids are required to be tested on a six monthly basis from bores NS-0624 and NS-0663 which are located downstream of the TSF. Groundwater monitoring data for these parameters has only been recorded in July of 2018.				
What was the actual (or suspected) environmental impact of the non-compliance? NOTE – please attach maps or diagrams to provide insight into the precise location of where the non-compliance took place.				
No impact.				
Cause (or suspecte	ed cause) of non-compliance:			
Insufficient handover between personnel.				
Action taken to mitigate any adverse effects of non-compliance and prevent recurrence of the non-compliance:				
Short term the responsible person was better informed of the monitoring requirement and the location of relevant instructions and procedures. This was followed by re-allocation of responsibilities.				
Was this non-compliance previously reported to DWER?				
No ☐ Yes, and	t			
Reported to I	DWER verbally	Date: / /		
Reported to I	DWER in writing	Date: / /		

Section F - Declaration

I / We declare that the information in this Annual Audit Compliance Report is true and correct and is not false or misleading in a material particular¹.

I / We consent to the Annual Audit Compliance Report being published on the Department of Water and Environmental Regulation's (DWER) website.

Signature ² :		Signature:
Name: (printed)	Andrew Hamilton	Name: (printed)
Position:	Technical Director	Position:
Date:	22/3/19	Date:
Seal (if signing under seal):		

¹ It is an offence under section 112 of the *Environmental Protection Act 1986* for a person to give information on this form that to their knowledge is false or misleading in a material particular.

² AACRs can only be signed by the licence holder or an authorised person with the legal authority to sign on behalf of the licence holder.