

Government of Western Australia Department of Water and Environmental Regulation

Annual Audit Compliance Report Form

Environmental Protection Act 1986, Part V Division 3

Once completed, please submit this form either via email to info@dwer.wa.gov.au, or to the below postal address:

Department of Water and Environmental Regulation Locked Bag 10 Joondalup DC WA 6919

Section A – Licence details			
Licence number:	L8870/2014/1	Licence file number:	DER2014/003202
Licence holder name:	Tronox Pigment Bunbury Ltd		
Trading as:	Tronox		
ACN:	008 683 627		
Registered business address:	Kemerton Titanium Dioxide Processing Plant 901 Marriott Road Wellesley WA 6233		
Reporting period:	1/1/2023 to 31/12/2023		

Section B - Statement of compliance with licence conditions

Did you comply with all of your licence conditions during the reporting period? (please tick the appropriate box)

- ☐ Yes please complete:
 - · section C;
 - · section D (if required); and
 - · sign the declaration in Section F.

No − please complete:

- · section C;
- section D (if required);
- · section E; and
- · sign the declaration in Section F.

Section C - Statement of actual production

Provide the actual production quantity for this reporting period. Supporting documentation is to be attached.

Prescribed premises category	Actual production quantity
31: Chemical Manufacturing	74,017 tonnes of base pigment
61: Liquid Waste Facility	104 443 kL
87: Fuel Burning	Burnt natural gas (0.002% S) at 414 kgs/hr

Section D – Statement of actual Part 2 waste discharge quantity

Provide the actual documentation is	Part 2 waste discharge qualito be attached.	antity for this reporting	period. Supporting
Prescribed premises category		Actual Part 2 waste discharge quantity	
31: Chemical Manufacturing Waste Slurry to Cleanaway Banksia Rd, Dardanup		109,619 tonnes (wet)	
Section E – Det	ails of non-compliance	with licence condit	ion
	arate page for each condition re reporting period.	on with which the licence	ce holder was non-compliant
Condition no:	3.4.1	Date(s) of non- compliance:	Quarter 3 2023
Details of non-con	npliance:		
exception of one r	oring of ambient groundwat missed groundwater sample I and EC at KM20 during th	e that was not able to b	e taken for field parameters
What was the actu	ual (or suspected) environn	nental impact of the nor	n-compliance?
NOTE – please atta compliance took pla	ich maps or diagrams to provi ace.	de insight into the precise	e location of where the non-
undertaken at least completed during		three of four required it	
Cause (or suspec	ted cause) of non-compliar	nce:	
The area around I the installation of prevented safe en	KM20 was barricaded off do the new chlorine line for the atry into this area.	uring Q3 2023 as scaffe e Chlorine Expansion p	olding had been set-up for project. Access restrictions
Action taken to mon-compliance:	itigate any adverse effects	of non-compliance and	prevent recurrence of the
	s of non-compliance.		
Was this non-com	pliance previously reported	d to DWER?	
Yes, and			

Department of Water and Environmental Regulation

Section E – Details of non-compliance with licence condition		
☐ Reported to DWER verbally	Date: / /	
Reported to DWER in writing	Date: / /	

Section F - Declaration

I / We declare that the information in this Annual Audit Compliance Report is true and correct and is not false or misleading in a material particular¹.

I / We consent to the Annual Audit Compliance Report being published on the Department of Water and Environmental Regulation's (DWER) website.

Signature ² :		Signature:
Name: (printed)		Name: (printed)
Position:	ALTINE SITE DIRECTOR	Position:
Date:	18/3/1014	Date:
Seal (if signing under seal):		

¹ It is an offence under section 112 of the *Environmental Protection Act 1986* for a person to give information on this form that to their knowledge is false or misleading in a material particular.

² AACRs can only be signed by the licence holder or an authorised person with the legal authority to sign on behalf of the licence holder.