

# Government of Western Australia Department of Water and Environmental Regulation

#### Annual Audit Compliance Report Form

Environmental Protection Act 1986, Part V Division 3

Once completed, please submit this form either via email to <a href="mailto:info@dwer.wa.gov.au">info@dwer.wa.gov.au</a>, or to the below postal address:

Department of Water and Environmental Regulation Locked Bag 10 Joondalup DC WA 6919

Section A - Licence	details	20	
Licence number:	L9293/2021/1	Licence file number:	DER2021/000158
Licence holder name:			
Trading as:			
ACN:			
Registered business address:			
Reporting period:	8/11/2021 to 31/12	2/2021	
	of your licence condit	with licence conditions tions during the reporting p	
□ Yes - please comple • section C; • section D (if red • sign the declars			
No – please comple     section C;     section D (if rec     section E; and     sign the declars			
Section C – Stateme Provide the actual prod be attached.		ction s reporting period. Support	ing documentation is to
Prescribed premises category		Actual production quantity	

#### Department of Water and Environmental Regulation

Section D - Statement of actual Part 2 w	aste discharge quantity	
Provide the actual Part 2 waste discharge quar documentation is to be attached.	ntity for this reporting period. Supporting	
Prescribed premises category	Actual Part 2 waste discharge quantity	
Category 6: Mine dewatering	83,940 tonnes	
Category 64: Class II or III putrescible landfill site	19.2 tonnes	
Category 85: Sewerage facility	908 m <sup>3</sup>	

## Department of Water and Environmental Regulation

Section E - De	tails of non-complia	ance with licence co	ndition
	arate page for each co ne reporting period.	indition with which the li	cence holder was non-compliant
Condition no:	1	Date(s) of non compliance:	24/11/2021, 9/12/2021
Details of non-cor	mpliance:		100
		V11/2021 (Condition 13 or TSS, residual chlorine	Table 10) did not meet the and e.Coli.
			Table 10) did not meet the prine, total nitrogen and e.Coli.
What was the act	ual (or suspected) env	ironmental impact of the	enon-compliance?
NOTE - please atta compliance took pla		provide insight into the pr	ecise location of where the non-
Breach of licence	design parameters.		
Treated effluent v	as discharged to the s	surface irrigation sprayfi	eld.
Cause (or suspec	ted cause) of non-com	pliance:	
The wastewater t	reatment plant did not	achieve design output p	arameters.
non-compliance:		Tarana and Arabana and Barana and Arabana	and prevent recurrence of the
design improvem-		porting period. An exter	he WWTP and will undertake nal plumber has been engaged
Was this non-con	npliance previously rep	orted to DWER?	
Yes, and		10,6	
Reported to	DWER verbally	Date: / /	
Reported to	DWER in writing	Date: / /	

### Department of Water and Environmental Regulation

Section F - Declaration						
I / We declare that is not false or misk	the information in this a seding in a material pa	Annual Audit Compliance Report is true ficular <sup>1</sup> .	and correct and			
I / We consent to Water and Environ	the Annual Audit Com mental Regulation's (D	pliance Report being published on the WER) website.	Department of			
Signature <sup>2</sup> :		Signature:				
Name: (printed)		Name: (printed)				
Position:		Position:				
Date:	22/2/22	Date:				
Seal (if signing under seal):						

<sup>&</sup>lt;sup>1</sup> It is an offence under section 112 of the Environmental Protection Act 1995 for a person to give information on this form that to their knowledge is false or misleading in a material perfoular.
<sup>2</sup> AACRs can only be aigned by the licence holder or an authorised person with the legal authority to sign on behalf of the ilicence.

holder.